BUNIONS and HAMMERTOES What You Need to Know

Did you know...

- Bunions and hammertoes are very common
- Many people have both

BUNIONS

What exactly is a bunion?

• More than a bump!



What's really going on ...

THE **BUMP** IS A RESULT OF:

- Changes in the bony framework
- Big toe leans toward the 2nd toe
- Throws the bones out of alignment

Symptoms of a bunion

- Pain or soreness
- Redness and inflammation
- Some people have a burning sensation or numbness

Symptoms most often occur with shoes that crowd the toes

What should you do for relief?

See a specialist...

A Foot and Ankle Surgeon

Your visit to the

Surgeon... Is it really a bunion?

- Foot exam
- X-rays
- Treatment options:
 - Nonsurgical
 - Surgical



Bunion surgery = bunionectomy

WHAT IT DOES

- Corrects the bone changes
- Removes the <u>bump</u>
- Corrects soft tissue changes

WHY IT'S DONE

- To reduce pain
- To increase function
- To decrease the deformity

The right procedure for you ...

The best procedure for you will be based on:

- Your x-rays results
- Your age
- Your activity level
- Other factors

After your surgery...

- Recovery takes several weeks
- Some time off your foot

HAMMERTOES

What's a hammertoe?

- An abnormal bend
- •On the 2nd, 3rd, 4th, or 5th (little) toe
- Many confuse other conditions with hammertoe



Hammertoes start off mild, but ...

- Get progressively worse if untreated
- Can rub against your shoe and cause problems
- Never get better without some type of treatment

IMPORTANT—Seek early attention!



Symptoms of hammertoe

- Bend in the toe
- Pain/irritation when wearing shoes
- Corns and calluses
- Redness and inflammation
- More severe cases: open sores

In the early stages...

- The hammertoe is still flexible
- Symptoms can be managed without surgery

But if left untreated...


- The toe can become more rigid
- It won't respond to conservative treatment
- Surgery is needed

Visit a foot and ankle surgeon

- A foot exam
- X-rays
- Accurate diagnosis
- Treatment Plan
 - Nonsurgical
 - Surgical



Normal Toes



Hammertoes

Hammertoe surgery

WHAT IT DOES

- Reduces the bending
- Puts the toe in a straighter position

WHY IT'S DONE

- To reduce pain and pressure
- To improve function
- To decrease the deformity

The right procedure for you ...

The best procedure for you will be based on:

- Your x-rays results
- Your age
- Your activity level
- Other factors

Surgery for both: Correcting a bunion and hammertoe

- Commonly done
- And at the same time... other problems might be corrected

What to expect with recovery ...

- Will depend on whether other procedures will be performed
 - Recovery will take several weeks
 - Some time off your foot

To find out more about correcting your bunion or hammertoe, contact...

(Place DPM contact info here)

