



**Kelly Ultrasound Center * (864) 234-1234 phone * www.kucenters.com * Fax Orders (866) 899-1133
Greenville Office - 140 Milestone Way, Ste B, Greenville, SC 29615**

| <u>Code</u> | <u>Exam</u> | <u>Description</u> | <u>Most Common Indicators</u> | <u>Patient Prep</u> | <u>Time Allotment (minutes)</u> |
|---------------|--------------------------------------|---|--|--|---------------------------------|
| 76700 | Abdomen Complete | Pancreas, Liver, Doppler of Main Portal Vein, Gallbladder, Bile Ducts, IVC, Aorta, Both Kidneys, Spleen, Doppler of Hepatic Vein, IVC | Abdominal Pain, Epigastric Pain, Nausea/Vomiting, Abdominal Mass, Abdominal Weight Loss, Ascites | The patient must not have anything to eat or drink 6 hours prior to exam, antacid 30 minutes prior | 40 |
| 76700 & 93975 | Abdomen Complete with Doppler | Same as 76700 plus Color and Doppler of Main, Right and Left Portal Vein, 1 Hepatic Vein (unless all 3 specified), Splenic Vein, Hepatic Artery, IVC, and Aorta | Cirrhosis, Portal Htn, Portal/Hepatic Vein Thrombosis, Hepatic Artery Stenosis, Pre/Post Transplant Status | The patient must not have anything to eat or drink 6 hours prior to exam, antacid 30 minutes prior | 45 |
| 76705 | Abdomen Limited-RUQ | Pancreas, Liver, Doppler of Main Portal Vein, Gallbladder, Bile Ducts, IVC, Aorta Proximal, Right Kidney | RUQ Pain, Abnormal LFTs, Epigastric Pain, Nausea/Vomiting, Gallstones, Biliary Disease | The patient must not have anything to eat or drink 6 hours prior to exam, antacid 30 minutes prior | 30 |
| 76705 | Abdomen Limited-LUQ | Left Kidney, Spleen, IVC, Aorta Proximal | Splenomegaly | No special preparation | 30 |
| 76856 | Pelvic Limited-Transabdominal | Uterus, Endometrium, Cervix, Both Ovaries, Both Adnexa | Pelvic Pain, Pelvic Mass/Fibroids, Cyst, Irregular Menstrual Cycle, Abnormal, Bleeding | The patient needs to finish 32 ounces of water 1 hour prior to exam. Patient cannot void until after exam. | 30 |
| 76830 | Pelvic Limited - Transvaginal | Uterus, Endometrium, Cervix, Both Ovaries, Both Adnexa | Pelvic Pain, Pelvic Mass/Fibroids, Cyst, Irregular Menstrual Cycle, Abnormal, Bleeding | No special preparation | 30 |
| 76770 | Renal Complete | Both Kidneys and Bladder with Post Void Volume | UTI, Hematuria/Proteinuria, Kidney Stones, Kidney Disease, Flank Pain/Back Pain | The patient needs to finish 16 ounces of water 1 hour prior to exam. Patient cannot void until after exam. | 30 |
| 76536 | Thyroid | Right and Left Thyroid Lobes and Isthmus | Abnormal Thyroid Function, Hypo/Hyperthyroidism, Goiter/Enlargement, Nodule/Cyst | No special preparation | 30 |
| CPT varies | Soft Tissue Mass | Sagittal and Transverse images of palpable mass in any location | Palpable Mass, Enlarged Lymph Node, Swelling, Lipoma, Cyst | No special preparation | 20 |
| 76870 & 93976 | Testicular with Doppler | Right and Left Testicle and Right and Left Epididymis, Arterial and Venous Blood Flow to Bilateral Testicles | Scrotal Mass/Cyst, Scrotal Pain, Spermatocele/Hydrocele, Torsion, Epididymitis/Orchitis | No special preparation | 30 |
| 93880 | Carotid | Right and Left Common Carotid Arteries, External Carotid Arteries, Internal Carotid Arteries, and Vertebrales | TIA/CVA, Bruit, Carotid Stenosis, Dizziness/Syncope | No special preparation | 30 |