

Smoking - tips on how to quit

Alternative Names

Cigarettes - tips on how to quit; Smoking cessation - tips on how to quit; Smokeless tobacco - tips on how to quit

Information

There are many ways to quit smoking. There are also resources to help you. Family members, friends, and co-workers may be supportive. But to be successful, you must really want to quit.

Most people who have quit smoking were unsuccessful at least once in the past. Try not to view past attempts to quit as failures. See them as learning experiences.

It is hard to stop smoking or using smokeless tobacco. But anyone can do it.

Know the symptoms to expect when you stop. Common symptoms include:

- An intense craving for nicotine
- Anxiety, tension, restlessness, frustration, or impatience
- Difficulty concentrating
- Drowsiness or trouble sleeping, as well as bad dreams and nightmares
- Drowsiness and trouble sleeping
- Headaches
- Increased appetite and weight gain
- Irritability or depression

How bad your symptoms are depends on how long you smoked. How many cigarettes you smoked each day also plays a role.

FEEL READY TO QUIT?

First, set a quit date. Quit completely on that day. Before your quit date, you may begin reducing your cigarette use. But remember, there is no safe level of cigarette smoking. See also: Making the decision to quit tobacco

List the reasons why you want to quit. Include both short- and long-term benefits.

Identify the times you are most likely to smoke. For example, do you tend to smoke when feeling stressed or down? When out at night with friends? While drinking coffee or alcohol? When bored? While driving? Right after a meal or sex? During a work break? While watching TV or playing cards? When you are with other smokers?


Let your friends, family, and co-workers know of your plan to stop smoking. Tell them your quit date. It can be helpful if they know what you are going through, especially when you are grumpy.



Nicotine patches may help a person to quit smoking

 ADAM.

Cigarettes and smoking



 ADAM.

Get rid of all your cigarettes just before the quit date. Clean out anything that smells like smoke, such as clothes and furniture.

MAKE A PLAN

Make a plan about what you will do instead of smoking at those times when you are most likely to smoke.

Be as specific as possible. For example, drink tea instead of coffee. Tea may not trigger the desire for a cigarette. Or, take a walk when you feel stressed.

Remove ashtrays and cigarettes from the car. Put pretzels or hard candies there instead. Pretend-smoke with a straw.

Find activities that focus your hands and mind. But make sure they are not taxing or fattening. Computer games, solitaire, knitting, sewing, and crossword puzzles may help.

If you normally smoke after eating, find other ways to end a meal. Play a tape or CD. Eat a piece of fruit. Get up and make a phone call. Take a walk (a good distraction that also burns calories).

CHANGE YOUR LIFESTYLE

Make other changes in your lifestyle. Change your daily schedule and habits. Eat at different times or eat several small meals instead of three large ones. Sit in a different chair or even a different room.

Satisfy your oral habits in other ways. Eat celery or another low-calorie snack. Chew sugarless gum. Suck on a cinnamon stick.

Go to public places and restaurants where smoking is prohibited or restricted.

Eat regular meals, and don't eat too much candy or sweet things.

Get more exercise. Take walks or ride a bike. Exercise helps relieve the urge to smoke.

SET SOME GOALS

Set short-term quitting goals and reward yourself when you meet them. Every day, put the money you normally spend on cigarettes in a jar. Later, buy something you like.

Try not to think about all the days ahead you will need to avoid smoking. Take it one day at a time.

Even one puff or one cigarette will make your desire for more cigarettes even stronger. However, it is normal to make mistakes. So even if you have one cigarette, you don't need to take the next one.

OTHER TIPS

Enroll in a smoking cessation program. Hospitals, health departments, community centers, and work sites often offer programs. Learn about self-hypnosis or other techniques. See also: Stop smoking support programs

Ask your health care provider about prescription medications that are safe and appropriate for you. See also: Medications for smoking cessation

Find out about nicotine patches, gum, and sprays. See also: Nicotine replacement therapy

The American Cancer Society's web site, www.cancer.org, is an excellent resource for smokers who are trying to quit. The Great American Smokeout can also help some smokers kick the habit.

Above all, don't get discouraged if you aren't able to quit smoking the first time. Nicotine addiction is a hard habit to break. Try something different next time. Develop new strategies, and try again. Many people take several attempts to finally kick the habit.

References

Benowitz NL. Tobacco. In: Goldman L, Ausiello D, eds. *Cecil Medicine*. 23rd ed. Philadelphia, Pa: Saunders Elsevier; 2007: chap 30.

Burke MV, Ebbert JO, Hays JT. Treatment of tobacco dependence. *Mayo Clin Proc*. 2008;83:479-483.

Fiore MC, Jaen CR, Baker TB, Bailey WC. Treating tobacco use and dependence: 2008 Update. May 2008. Accessed October 30, 2010.

Hays JT, Ebbert JO, Sood A. Treating tobacco dependence in light of the 2008 U.S. Department of Health and Human Services clinical practice guideline. *Mayo Clin Proc.* 2009;84:730-735.

Smokefree.gov. Accessed October 30, 2010.



A.D.A.M., Inc. is accredited by URAC, also known as the American Accreditation HealthCare Commission (www.urac.org). URAC's accreditation program is an independent audit to verify that A.D.A.M. follows rigorous standards of quality and accountability. A.D.A.M. is among the first to achieve this important distinction for online health information and services. Learn more about A.D.A.M.'s editorial policy, editorial process and privacy policy. A.D.A.M. is also a founding member of Hi-Ethics and subscribes to the principles of the Health on the Net Foundation (www.hon.ch).

The information provided herein should not be used during any medical emergency or for the diagnosis or treatment of any medical condition. A licensed medical professional should be consulted for diagnosis and treatment of any and all medical conditions. Call 911 for all medical emergencies. Links to other sites are provided for information only -- they do not constitute endorsements of those other sites. © 1997- 2011 A.D.A.M., Inc. Any duplication or distribution of the information contained herein is strictly prohibited.

