

# NEW PATIENT HEALTH AND MEDICAL SURVEY

Welcome to our practice. As a new patient, please answer the questions below to the best of your ability.

Date \_\_\_\_\_

Patient Name \_\_\_\_\_ Birth Date \_\_\_\_\_

Home Phone \_\_\_\_\_ Work or Cell Phone \_\_\_\_\_ Email \_\_\_\_\_

Address \_\_\_\_\_ City \_\_\_\_\_ State \_\_\_\_\_ Zip Code \_\_\_\_\_

How did you hear about us? \_\_\_\_\_

Describe your main complaint(s) \_\_\_\_\_

If your complaint is due to pain, complete the following:

Location \_\_\_\_\_ Severity on a scale of 1 \_\_\_\_\_ 10

Quality \_\_\_\_\_ Duration \_\_\_\_\_

Time \_\_\_\_\_ What makes it better or worse? \_\_\_\_\_

Do you have any other health concerns? \_\_\_\_\_

MEDICAL HISTORY: List any other doctors you've seen for this condition \_\_\_\_\_

Who is your current family physician? \_\_\_\_\_ Specialist? \_\_\_\_\_

Date of your last physical exam \_\_\_\_\_ When did you have your last blood tests? \_\_\_\_\_

List any diagnoses or treatments \_\_\_\_\_

List any surgeries or major illness with date of occurrence \_\_\_\_\_

Have you had any infectious diseases? \_\_\_\_\_

Have you been hospitalized for this or any condition? \_\_\_\_\_

Do you have any allergies? \_\_\_\_\_ Have you ever reacted to medications? \_\_\_\_\_

MEDICATIONS: List all prescription or over-the-counter drugs you are taking \_\_\_\_\_

NUTRITIONAL SUPPLEMENTS: List all vitamin, mineral, and other nutritional or herbal supplements \_\_\_\_\_

LIFE STYLE INFORMATION: Answer the following questions with YES or NO and explain if necessary

— Do you exercise? How often? \_\_\_\_\_ What type? \_\_\_\_\_

— Do you use alcohol? How often? \_\_\_\_\_ What kind? \_\_\_\_\_

— Do you smoke? How much? \_\_\_\_\_ For how long? \_\_\_\_\_ When did you quit? \_\_\_\_\_

— Do you drink coffee? \_\_\_\_\_

— Do you drink caffeinated sodas? \_\_\_\_\_

— Do you follow a specific diet? \_\_\_\_\_

— Are you concerned about your weight? Are you following a specific diet? \_\_\_\_\_

— Do you overeat? How is your appetite? \_\_\_\_\_ Do you have any reactions to foods? \_\_\_\_\_

— Do you crave sweets? Do you have any other food cravings? \_\_\_\_\_ Or aversions? \_\_\_\_\_

— Are you concerned about aging? Do you have a specific concern? \_\_\_\_\_

— Are you concerned about your appearance? Have you used any aesthetic therapies? \_\_\_\_\_

— Are you stressed or anxious? \_\_\_\_\_

— Do you or have you experienced depression? Is there any form of depression or dementia in your family? \_\_\_\_\_

— Do you suffer from insomnia or any other form of sleep abnormality? \_\_\_\_\_

— Are you concerned about memory loss? \_\_\_\_\_

— Do you practice any form of stress reduction such as meditation, tai chi or yoga? \_\_\_\_\_

— Is your relationship fulfilling? \_\_\_\_\_ How is your children's health? \_\_\_\_\_

— Do you experience fatigue? \_\_\_\_\_

DIETARY INFORMATION: Describe your daily diet \_\_\_\_\_

ADDITIONAL INFORMATION: Describe any other information you feel is important for your doctor to know \_\_\_\_\_

# SYMPTOM QUESTIONNAIRE

Age \_\_\_\_\_ Sex \_\_\_\_\_ Height \_\_\_\_\_ Weight \_\_\_\_\_ BMI \_\_\_\_\_

## Have you experienced any of the following?

- |  |  |
|--|--|
| <input type="checkbox"/> Decreasing muscle mass  | <input type="checkbox"/> Slow wound healing  |
| <input type="checkbox"/> Reduced strength  | <input type="checkbox"/> Frequent colds or flu   |
| <input type="checkbox"/> Decreased joint mobility  | <input type="checkbox"/> Presence of viral infections: Herpes Zoster (shingles), Epstein Barr, HIV, HHV-6, Hepatitis |
| <input type="checkbox"/> Increased stiffness   | <input type="checkbox"/> Chronic pain or inflammation  |
| <input type="checkbox"/> Reduced capacity for work and exercise                                    | <input type="checkbox"/> Poor sleep  |
| <input type="checkbox"/> Decreased endurance   | <input type="checkbox"/> Waking up tired   |
| <input type="checkbox"/> Significant weight loss   | <input type="checkbox"/> Fatigue   |
| <input type="checkbox"/> Increased body fat  | <input type="checkbox"/> Longer recovery time needed after exertion  |
| <input type="checkbox"/> Increased waist to hip ratio (more fat deposits on the abdomen and waist) | <input type="checkbox"/> Forgetfulness   |
| <input type="checkbox"/> Reduced sexual drive and/or performance                                   | <input type="checkbox"/> Increasing difficulty concentrating   |
| <input type="checkbox"/> Muscle mass loss or flabbiness  | <input type="checkbox"/> Mood changes  |
| <input type="checkbox"/> Changes in body temperature   | <input type="checkbox"/> Unexplained depression  |
| <input type="checkbox"/> Sensitivity to cold or heat   | <input type="checkbox"/> Anxiety   |
| <input type="checkbox"/> Hot flashes   | <input type="checkbox"/> Increased anger or irritability   |
| <input type="checkbox"/> Dryer or thinning skin and hair   | <input type="checkbox"/> Sensitivity to certain foods  |
| <input type="checkbox"/> Brown or red spots  | <input type="checkbox"/> Craving for sugar   |
| <input type="checkbox"/> Spider veins on the skin  | <input type="checkbox"/> Alcohol intolerance   |

## Have you had any of the following tests?

- |  |  |
|--|--|
| <input type="checkbox"/> Complete Blood Count  | <input type="checkbox"/> Homocysteine / CRP                        |
| <input type="checkbox"/> Chemistry Panel   | <input type="checkbox"/> Blood Pressure                            |
| <input type="checkbox"/> PSA (Prostate Specific Antigen) and prostate exam for men over 40 | <input type="checkbox"/> Bone Density                              |
| <input type="checkbox"/> Breast Exam and Mammography (for women)                           | <input type="checkbox"/> Treadmill Test / EKG/ ECHO                |
| <input type="checkbox"/> Pap Smear / uterine /ovary scans (for women)                      | <input type="checkbox"/> Estrogen levels                           |
| <input type="checkbox"/> Colonoscopy   | <input type="checkbox"/> Testosterone                              |
| <input type="checkbox"/> Basal Temperature   | <input type="checkbox"/> Free testosterone                         |
| <input type="checkbox"/> 3-5 hour Glucose Tolerance Test                                   | <input type="checkbox"/> IgF-1 (a marker for human growth hormone) |
| <input type="checkbox"/> Fasting insulin   | <input type="checkbox"/> DHEA-S                                    |
| <input type="checkbox"/> Blood Lipids: total Cholesterol, triglycerides, HDL, and LDL      | <input type="checkbox"/> Cortisol                                  |
| <input type="checkbox"/> Thyroid Studies (TSH, T4)   | <input type="checkbox"/> SHBG (sex hormone binding globulin)       |
| <input type="checkbox"/> Free T3   |  |

## FAMILY HISTORY: Has anyone in your immediate family had any of the following conditions?

- Heart or coronary arterial disease (congestive heart failure, angina, etc.) \_\_\_\_\_
- Atherosclerosis (hardening of the arteries) \_\_\_\_\_
- High cholesterol or other form of abnormal lipids \_\_\_\_\_
- Heart attack or stroke \_\_\_\_\_
- Diabetes or any form of metabolic disease or obesity \_\_\_\_\_
- Cancer and list type(s) \_\_\_\_\_
- Osteoporosis or any form of bone disease \_\_\_\_\_
- Thyroid disease \_\_\_\_\_
- List any other diseases in your family \_\_\_\_\_

## FATIGUE QUESTIONNAIRE

**Answer the questions below by checking each applicable box if you have ever experience any of the following:**

- |   |   |
|---|---|
| <ul style="list-style-type: none"> <li><input type="checkbox"/> Exhausted feelings that are not related to stress or amount of work or exercise.</li> <li><input type="checkbox"/> Morning tiredness, even after a full night's sleep.</li> <li><input type="checkbox"/> Depression that does not respond to antidepressants, diet, or exercise.</li> <li><input type="checkbox"/> Unexplained anxiety and panic attacks.</li> <li><input type="checkbox"/> Been told that I move as if in slow motion, and take too long to responds to questions.</li> <li><input type="checkbox"/> A frequently low or hoarse voice (for a woman).</li> <li><input type="checkbox"/> Mental sluggishness and have difficulty focusing.</li> <li><input type="checkbox"/> Low sex drive and do not experience significant sexual arousal.</li> <li><input type="checkbox"/> High cholesterol that has been unresponsive to diet or medications.</li> <li><input type="checkbox"/> A tendency to feel cold even in warm weather.</li> <li><input type="checkbox"/> Chronic aches and pains not due to accidents or exercise.</li> <li><input type="checkbox"/> Carpal tunnel syndrome</li> <li><input type="checkbox"/> Problems with allergies.</li> <li><input type="checkbox"/> Difficulty losing weight and keeping it off.</li> </ul> | <ul style="list-style-type: none"> <li><input type="checkbox"/> Very dry skin.</li> <li><input type="checkbox"/> I have acne or eczema.</li> <li><input type="checkbox"/> Diabetes</li> <li><input type="checkbox"/> Rheumatoid arthritis or other autoimmune condition.</li> <li><input type="checkbox"/> Problem with my periods, including abnormal menstrual bleeding.</li> <li><input type="checkbox"/> Anemia</li> <li><input type="checkbox"/> Infertility or a history of frequent miscarriages.</li> <li><input type="checkbox"/> Significant menopausal symptoms.</li> <li><input type="checkbox"/> A tendency to have chronic constipation even with a high fiber diet.</li> <li><input type="checkbox"/> Lots of hair falling out or brittle hair.</li> <li><input type="checkbox"/> Vitiligo or other unusual changes in skin color.</li> <li><input type="checkbox"/> Trembling of my hands or stumbling for no reason.</li> <li><input type="checkbox"/> Have a family history of thyroid disorder</li> <li><input type="checkbox"/> Have previously been diagnosed with a thyroid disorder</li> </ul> |
|---|---|

**In case of emergency, notify \_\_\_\_\_ Phone No. \_\_\_\_\_ Relationship \_\_\_\_\_**

***I understand that all fees for consultations, examinations, treatments, and supplies are to be paid for as they are received.***

**PATIENT'S SIGNATURE: \_\_\_\_\_ Date \_\_\_\_\_**

### **FOR MEN ONLY: ADAM Questionnaire plus additional questions**

Name \_\_\_\_\_ Age \_\_\_\_\_ Date \_\_\_\_\_

***Circle your answers and follow the directions below to learn your score.***

**AFFINITY WELLNESS 4 LIFE – 4335 SOLUTIONS LANE – LAKEWOOD RANCH, FL 34211 – (941) 739-7900**

1. Do you have less libido (sex drive)?	Yes	No
2. Do you have low energy?	Yes	No
3. Do you have decreased strength and/or endurance?	Yes	No
4. Have you lost height?	Yes	No
5. Have you noticed a decreased "enjoyment in life?"	Yes	No
6. Are you sad and/or grumpy?	Yes	No
7. Are your erections less strong?	Yes	No
8. Have you noticed a recent deterioration in your ability to play sports?	Yes	No
9. Are you falling asleep after dinner?	Yes	No
10. Has there been a recent deterioration in your work performance?	Yes	No

**If you answer “yes” to questions 1 or 7 or any 3 other questions, you may have low T.**

Adapted from Morley JE, et al. Validation of a screening questionnaire for androgen deficiency in aging males. *Metabolism*. 2000;49(9):1239-1242.

“It is now well established that testosterone levels decline with age. What has not been established is whether the decline in testosterone is associated with a symptom complex. This study examined whether certain symptoms are more commonly present in males with low bioavailable testosterone (BT) levels. These were used to evaluate a questionnaire for androgen deficiency in aging males (ADAM). The validity of the ADAM questionnaire to screen for low BT was tested in 316 Canadian physicians aged 40 to 62 years. Low BT levels were present in 25% of this population. None had elevated luteinizing hormone (LH) levels. The ADAM questionnaire had 88% sensitivity and 60% specificity. When the questionnaire was administered twice 2 to 4 weeks apart to 10 men, it was determined that the coefficient of variation was 11.5%. In a second study of 34 ADAM-positive patients, 37% of those with clearly normal BT levels demonstrated some evidence of dysphoria. Finally, in 21 patients who were treated with testosterone, improvement on the ADAM questionnaire was demonstrated in 18 (P = .002). These data support the concept of a symptom complex associated with low BT levels in aging males. In addition, the ADAM questionnaire appears to be a reasonable screening questionnaire to detect androgen deficiency in males over 40 years of age.”

**Check the questions below that pertain to you.**

- |  |  |
|--|--|
| <input type="checkbox"/> Have you been diagnosed with osteoporosis?        | <input type="checkbox"/> Do you experience hot flushes?  |
| <input type="checkbox"/> Do you have chronically dry skin?                 | <input type="checkbox"/> Do you have chronic pain?   |
| <input type="checkbox"/> Are you losing body hair, especially on the legs? | <input type="checkbox"/> Have you gained weight gradually without an obvious cause?                        |
| <input type="checkbox"/> Are you balding?                                  | <input type="checkbox"/> Are you experiencing difficulty losing weight?                                    |
| <input type="checkbox"/> Do you experience an unexplainable unhappiness?   | <input type="checkbox"/> Are you retaining fat in your abdomen (increased belly fat)?                      |
| <input type="checkbox"/> Have you become more irritable?                   | <input type="checkbox"/> Do you produce less semen so your ejaculation quantity is reduced?                |
| <input type="checkbox"/> Do you have less ability to cope with stress?     | <input type="checkbox"/> Have you been diagnosed with insulin resistance, diabetes, or metabolic syndrome? |
| <input type="checkbox"/> Are you more emotional?                           |  |
| <input type="checkbox"/> Does your body temperature fluctuate easily?      |  |

## Affinity Wellness 4 Life

Michael P. Heim, DO

Dominic Sorrentino, PA-C, AAHP

## BHRT Consent

Name: \_\_\_\_\_

Address: \_\_\_\_\_ City: \_\_\_\_\_

State: \_\_\_\_\_ Zip: \_\_\_\_\_

DOB: \_\_\_\_\_

Primary Doctor: \_\_\_\_\_

Natural or Bio-identical Hormone Replacement Therapy is the therapeutic use of hormones that are identical to the hormones made naturally by the body.

There are many different type but the ones used predominantly in our clinic include: testosterone, progesterone, estrone (E1), estradiol (E2), estriol (E3), DHEA, androstenedione, cortisol, thyroid and melatonin. These hormones are typically used to treat symptoms of perimenopause, menopause, andropause (male menopause or low testosterone), thyroid dysfunction and adrenal fatigue (cortisol) although other symptoms may be treated as well.

### **Female patients:**

The Women's Health Initiative Study (WHI) studied 16,608 postmenopausal women aged 50-79 years old with an intact uterus. The women received either Premarin (0.625mg), Prempro (0.625/2.5mg), or placebo daily. These hormones were non human, non bioidentical hormones. Users of Premarin and Prempro had :

- 41% more strokes (29 HRT VS 30 placebo in 10,000 person years)
- 29% more heart attacks (37 HRT VS 30 placebo in 10,000 person years)
- twice as many blood clots (34 VS 16 placebo in 10,000 person years)
- 26% more breast cancer (38 VS 30 placebo in 10,000 person years)
- 66% increase in Alzheimer's Dementia (45 HRT VS 22 in 10,000 person years)
- 37% less colorectal cancer (0.63 relative risk reduction)
- 33% fewer hip fractures (0.66 relative risk reduction)

The average age of the study participants was 63 years of age, and on average started hormone therapy 12 years after menopause. Synthetic hormones

(ex. Progestins), and bioidentical hormones such as progesterone have different effects on the body. Bioidentical hormones can be used and metabolized as our body was designed to do, minimizing side effects. Bioidentical hormone dosages can be fine tuned to your specific needs. Many European studies suggest that bioidentical hormones are safer than synthetic hormones. However, that doesn't mean that bioidenticals are perfect. We also do not have any large scale, double blinded, placebo controlled trials on bioidenticals.

Relative Contraindications: personal family history of breast, ovarian, or endometrial cancer and a strong family history of breast or ovarian cancer. Close collaboration with an oncologist may be needed in these situations. Unexplained vaginal bleeding may be another contraindication.

Precautions: BHRT does not increase heart disease risk if given at the proper dosage and ratio. Patients with previous deep vein thrombosis require careful monitoring if they are taking oral estrogen. Women with known heart disease need routine evaluation and annual labs including cholesterol levels and EKG.

They will need to be followed up by their primary care physician for this condition.

Baseline hormone levels are ordered at your initial visit. You will then be given an individualized prescription of BHRT based on your symptoms and test

results. Symptom resolution is not immediate. It can take anywhere from 3-9 months until patients feel like they have the perfect fit. There are many different preparations of BHRT (topical creams, sublingual troches, vaginal inserts, pills, and sublingual drops). Some women respond to one form better than another.

Saliva or serum / blood tests are measured every 2-4 months until stable. When stable, hormone levels are then monitored every 6-12 months depending on the situation.

Patient's bodies and lifestyles change and so do their hormonal needs. Hormones are usually measured via saliva, serum and or urine samples. Neurotransmitters are also evaluated in some situations and are done via a urine sample.

You are required to have pap smears (as frequently as indicated), mammograms, and DEXA Scans (as indicated). It is required that you supply us with a copy of these results for our records. Hormones are generally not prescribed or renewed unless these records are up to date

**Male patients:**

**Men on testosterone therapy are required to have their testosterone levels checked at least every three months for the first year and then at least twice per year thereafter. Levels may be checked more often depending on response to therapy.**

Male are also required to have digital rectal exam by primary physician and PSA levels prior to starting hormone and every 3 months while on treatment.

Bio-identical hormones are made at compounding pharmacies. BHRT is generally not reimbursed by insurance companies although there are exceptions. On request, the pharmacy will provide you with a form that you can fill out and submit to your insurance company for reimbursement. Many women generally use anywhere from one to five hormone preparations.

Many times we can combine 2 or 3 hormones into one preparation once we have the correct dose for each of the individual hormones. This will help keep the cost down.

We also require that you have a current primary care physician to manage all you other health needs.

I understand and agree to the above statements and all my questions have been answered to my satisfaction. I am consenting for bio-identical hormone treatment at Affinity Wellness 4 Life.

I understand that the treatment for bio-identical hormones at Affinity Wellness 4 Life by Dr. Michael P. Heim and Dominic Sorrentino PA-C is an out of network service.

**Payment will be due at the time of service. Initial (30 min) and 2<sup>nd</sup> visit (1 hour) is \$325.00 and follow-up visits are \$150.00-\$200.00 every 3 months for 1<sup>st</sup> year then every 6 months thereafter. This does not include added costs for medications or supplements if needed.**

Patient Signature \_\_\_\_\_

Date \_\_\_\_\_

Printed name \_\_\_\_\_

Physician / Practitioner \_\_\_\_\_

Date \_\_\_\_\_

**AFFINITY WELLNESS + LIFE**

**4335 Solutions Lane**

**Bradenton, FL 34211**

**941-739-7900**

## Financial Disclosure

The consultation fee includes the initial and 2<sup>nd</sup> visit, comprehensive medical history, physical exam (including blood pressure, heart rate, temperature, weight and body fat analysis), “one on one” assessment of laboratory results, bio-identical hormone replacement advisement and diet, supplementation and exercise advice.

Laboratory testing (including blood, salivary and urine testing) is NOT INCLUDED in the initial fee. NON-INSURED PATIENTS estimated fee for labs is \$250- \$500.

INSURED PATIENTS WILL BE RESPONSIBLE FOR ANY FEES THAT YOUR INSURANCE COMPANY DOES NOT COVER. WE ADVISE ALL PATIENTS TO CONTACT THIE INSURANCE CARRIERS IF UNCERTAIN ABOUT LABORATORY COVERAGE.

Bio-identical Hormone Replacement Therapy (BHRT) prescriptions and any other prescriptions and supplements are also not included in the initial fee and are the responsibility of the patient.

**I understand that I am financially responsible for all laboratory fees or fees not covered by my insurance company. I also understand that I am also financially responsible for all prescriptions and supplements.**

(Initial) \_\_\_\_\_

**All sales are FINAL. No transfers, exchanges or misuse of any product or services rendered other than the original patient of whom they are intended for.** (Initial) \_\_\_\_\_

\_\_\_\_\_  
Patient Signature

\_\_\_\_\_  
Date

\_\_\_\_\_  
Witness Signature

\_\_\_\_\_  
Date