JARROD P. KAUFMAN, MD FACS

General & Advanced Laparoscopic Surgeon

NJ State Chair: Commission on Cancer of the American College of Surgeons

Emeritus Chair: Melanoma Workgroup: NJ Governor's Task Force on Cancer Prevention, Early Detection & Treatment

Founding Director of the Cutaneous Oncology and Melanoma Program @ Centrastate Medical Center, Emeritus

Specializing In:

General Surgery, Surgical Oncology, Advanced Laparoscopy, Surgical Endoscopy, Ultrasound, and Endovenous Surgery

Board Certified:

American Board of Surgery

Fellow:

American College of Surgeons: ACS NJ State Chair, Commission on Cancer

Surgical Procedures:

Laparoscopic: Hernias Complex Recurrent Hernias Abdominal Wall Reconstruction Laparoscopic Antireflux Surgery Incisionless Hiatal Hernia Repairs Laparoscopic Cholecystectomy Laparoscopic Colonic Resection Laparoscopic Adrenalectomy Laparoscopic Splenectomy Laparoscopic Appendectomy Laparoscopic Bowel Obstruction Laparoscopic Ultrasonography Laparoscopic Cancer Staging Robotic Surgery Breast Surgery Melanoma Surgery Sentinel Node Biopsy Lymph Node Biopsy Soft Tissue Tumor Resection Thyroid and Parathyroid Surgery Endovenous Surgery: Varicose Vem Laser and Radiofrequency Ablation Trivex Ambulatory Phlebectomy Vena Cava Filters

Diagnostic Studies:

Ultrasound Procedures for the Diagnosis and Treatment of Breast, Thyroid, and Venous Disease, Radiofrequency and Laser Closure of Varicose Veins. Ultrasound Guided Breast Biopsy and Fine Needle Aspiration of Thyroid Abdominal Ultrasound Lymph Node Ultrasound

Location:

525, Route 70, East Suite 1B Brick, NJ 08723.

Office (732)-262-1600 Fax (732)-262-1606

PREMIER SURGICAL & VEIN CENTER LLC

General & Advanced Laparoscopic Surgery

Dear Patient:

Your physician has recommended surgery for you. We will first be contacting your insurance company to see if authorization is required for your procedure, and then we will contact you to schedule your procedure. We call patients on Tuesday & Thursdays (those are the days I do not see patients) so please be patient. If for some reason you are not called within a week please feel free to contact us.

Prior to your surgery you may need to go for pre-admission testing and/or medical clearance, if this is required you will need to schedule an appointment to see your primary care physician. Depending on your medical condition additional clearances may be required from one of your other physicians. Without his/her written clearance, surgery is not possible.

Prior to your scheduled surgery, we will also schedule you for your pre-operative appointment with your surgeon. This appointment is required to be given further instructions, review all test results and medical clearances, sign consents, etc. We will also schedule your post operative appointment on that day.

Seven to Ten days prior to surgery discontinue all medications that contain aspirin or anti-inflammatory medications (NSAIDS) and/or anticoagulation's (blood thinners). A list of medications to avoid prior to surgery is attached. If you have any doubts about the medications that you need to stop for surgery, please check with your primary care physician or pharmacy.

The hospital or surgery center will contact you the day before your procedure, they have up until 8PM to call you with specific instructions as well as to when you will need to arrive. If you don't hear from anyone with your arrival & instructions please call the facility where your procedure will be done (phone numbers & address is listed on the back of this page).

If you have any further questions please feel free to call our office @ 732-262-1600.

Thank you.

JARROD P. KAUFMAN, MD FACS General & Advanced Laparoscopic Surgeon

NJ State Chair: Commission on Cancer of the American College of Surgeons

Emeritus Chair: Melanoma Workgroup: NJ Governor's Task Force on Cancer Prevention, Early Detection & Treatment

Founding Director of the Cutaneous Oncology and McIanoma Program @ Centrastate Medical Center, Emeritus

Specializing In:

General Surgery, Surgical Oncology, Advanced Laparoscopy, Surgical Endoscopy, Ultrasound, and Endovenous Surgery

Board Certified:

American Board of Surgery

Fellow:

American College of Surgeons: ACS NJ State Chair, Commission on Cancer

Surgical Procedures:

Laparoscopic: Hernias Complex Recurrent Hernias Abdominal Wall Reconstruction Laparoscopic Antireflux Surgery Incisionless Hiatal Hernia Repairs Laparoscopic Cholecystectomy Laparoscopic Colonic Resection Laparoscopic Adrenalectomy Laparoscopic Splenectomy Laparoscopic Appendectomy Laparoscopic Bowel Obstruction Laparoscopic Ultrasonography Laparoscopic Cancer Staging Robotic Surgery Breast Surgery Melanoma Surgery Sentinel Node Biopsy Lymph Node Biopsy Soft Tissue Tumor Resection Thyroid and Parathyroid Surgery Endovenous Surgery: Varicose Vein Laser and Radiofrequency Ablation Trivex Ambulatory Phlebectomy Vena Cava Filters

Diagnostic Studies:

Ultrasound Procedures for the Diagnosis and Treatment of Breast, Thyroid, and Venous Disease, Radiofrequency and Laser Closure of Varicose Veins. Ultrasound Guided Breast Biopsy and Fine Needle Aspiration of Thyroid Abdominal Ultrasound Lymph Node Ultrasound

Location:

525, Route 70, East Suite 1B Brick, NJ 08723.

Office (732)-262-1600 Fax (732)-262-1606

CENTRASTATE MEDICAL CENTER 901 WEST MAIN STREET FREEHOLD, NJ 07728 732-431-2000

OCEN MEDICAL CENTER 425 JACK MARTIN BLVD BRICK, NJ 08723 732-840-2200

JERSEY SHORE MEDICAL CENTER 1945 ROUTE 33 NEPTUNE, NJ 07753 732-775-5500

CENTER FOR AMBULATORY & MINIMALLY INVASIVE SURGERY (CAMIS) 234 INDUSTRIAL WAY WEST, BUILDING B, STE. 101 EATONTOWN, NJ 07724 732-440-4900

> LAKEWOOD SURGICAL CENTER 1215 ROUTE 70 LAKEWOOD, NJ 08701 732-719-1800

OLD BRIDGE AMBULATORY SURGERY
CENTER
400 PERRINE ROAD
SUITE 408
OLD BRIDGE, NJ 08857
732-553-9222

MONMOUTH MEDICAL CENTER SOUTHERN CAMPUS 600 RIVER ROAD LAKEWOOD, NJ 08701 732-363-1900

MEDICATIONS TO AVOID PRIOR TO SURGERY

A handy guide to use when your physician tells you not to take aspirin, aspirin containing compounds, non-steroidal anti-inflammatory medications (NSAIDS), and/or anticoagulants (blood thinners) prior to surgery.

AVOID USING ANY OF THESE 7-10 DAYS BEFORE SURGERY ASPIRIN AND SALICYLATE PREPARATIONS

Alka Seltzer Products

Amgesic

Anacin Products

Argesic Arthra G

Arthritis Pain Formula Arthritis Strength Bufferin

Arthropan

Ascriptin Products

Aspergum

Aspirin Products
Aspirin Suppositories

Axotal Azdone BAC

B C Power Arthritis Strength

B C Cold Powder Multi-symptom

B C Tablets Bismatrol

Bufferin Products

Buffets II

Butaubital Compound
Butaubital ASA Caffeine

CAMA Arthritis Pain Reliever Carisaprodol Compound

Damason-P

Darvon Compound-65

Disalcid Doan's Dolobid

Dristan Sinus Caplets

Easprin
Ecotrin
Empirin

Enteric Coated Aspirin

Equagesic

Excedrin Extra-Strength

Fiorgen PF Fiorinal Gelpirin Genprin Gensan

Goody's Headache Powders

Halfprin

Isollyl Improved

Lanorinal Lortab ASA Magan

Magnaprin Arth. Strength

Magsal

Methocarbamol with ASA

Micranin Mobidin Mobigesic

Momentum Caplets

Monogesic Norgesic Orphengesic

Pain Reliever Tablets

Pabalate Panasal 5/500 Pepto-Bismol Percodan Pink Bismuth

Propoxyphene Compound-65

Robaxisal Saleto Salflex Salsitab

Sodium Salicylate Sodium Compound Soma Compound

Supac

Synalgos-DC

Talwin Compound

Trillisate Vanquish Wesprin Zorprin

AVOID USING THESE 7-10 DAYS BEFORE SURGERY

NON-ASPIRIN PREPARATIONS

Ibutabs Aches-N-Pain Indocin Actron Indomethancin Advil Ketoprofen Aleve Lodine Anaprox Meclofenamate Ansaid Melcomen Cataflam Medipren Clinoril Midol Daypro Motrin Excedrin IB Motrin IB Feldene Nalfon Fenoprofen Nalfon Pulvule Genpril Naprelan Haltran Napron X Ibuprin Naprosyn Ibuprofen Naproxen Ibupro HM

Nuprin Orudis Orudis KT Oruvail Pamprin-IB Pediaprofen Piroxicam Ponstel Relafen Rufen Sulindac Tolectin Tolmentin Toradol Trendar Voltaren

CELEBREX & VIOXX MAY NEED TO BE HELD PRIOR TO SURGERY ACCORDING TO THE SURGEON'S PREFERENCE

THE MEDICATION LISTED BELOW WILL BE STOPPED A FEW DAYS BEFORE SURGERY AS DIRECTION BY YOUR PHYSICIAN: ANTICOAGULANTS AND ANTIPLATELET AGENTS

> COUMADIN or WARFARIN DYPYRIDAMOLE or PERSANTINE

HEPARIN

LOVENOX

PRADAXA

XARELTOTICLOPIDINE

TRENTAL

PLAVIX

MANY OVER THE COUNTER DRUGS CONTAIN ASPIRIN (ACETYISALICYCLIC ACID) OR IBUPROFEN. CHECK THE DRUG LABEL FOR THIS INFORMATION. DO NOT TAKE THESE DRUGS PRIOR TO SURGERY!

HERBAL PRODUCTS:

Ephedra (Ma Huang) discontinue at least 24 hours prior to surgery- drug interaction with anesthetic drugs

Garlic discontinue 7 days prior to surgery- inhibits clot formation

Ginko discontinue 36 hours prior to surgery- inhibits clot formation

Ginseng discontinue 7 days prior to surgery- inhibits clot formation

Kava discontinue 24 hours prior to surgery- drug interaction with anesthetic drugs

St. John's Wort discontinue 5 days prior to surgery- drug interaction with anesthetic drugs

Flaxseed oil, Fish O.L Grape Seed, Black Cohash, Vitamin E 400 mg or over discontinue 7-10 days prior to surgery

Multi Vitamins are fine- You do not need to discontinue prior to surgery

JARROD P. KAUFMAN, MD FACS

General & Advanced Laparoscopic Surgeon

NJ State Chair: Commission on Cancer of the American College of Surgeons

Emeritus Chair: Melanoma Workgroup: NJ Governor's Task Force on Cancer Prevention, Early Detection & Treatment

Founding Director of the Cutaneous Oncology and Melanoma Program @ Centrastate Medical Center, Emeritus

Specializing In:

General Surgery, Surgical Oncology, Advanced Laparoscopy, Surgical Endoscopy, Ultrasound, and Endovenous Surgery

Board Certified:

American Board of Surgery

Fellow:

American College of Surgeons: ACS NJ State Chair, Commission on Cancer

Surgical Procedures:

Laparoscopic: Hernias Complex Recurrent Hernias Abdominal Wall Reconstruction Laparoscopic Antireflux Surgery Incisionless Hiatal Herma Repairs Laparoscopic Cholecystectomy Laparoscopic Colonic Resection Laparoscopic Adrenalectomy Laparoscopic Splenectomy Laparoscopic Appendectomy Laparoscopic Bowel Obstruction Laparoscopic Ultrasonography Laparoscopic Cancer Staging Robotic Surgery Breast Surgery Melanoma Surgery Sentinel Node Biopsy Lymph Node Biopsy Soft Tissue Tumor Resection Thyroid and Parathyroid Surgery Endovenous Surgery: Varicose Vein Laser and Radiofrequency Ablation Trivex Ambulatory Phlebectomy Vena Cava Filters

Diagnostic Studies:

Ultrasound Procedures for the Diagnosis and Treatment of Breast, Thyroid, and Venous Disease, Radiofrequency and Laser Closure of Varicose Veins.
Ultrasound Guided Breast Biopsy and Fine Needle Aspiration of Thyroid Abdominal Ultrasound Lymph Node Ultrasound

Location:

525, Route 70, East Suite 1B Brick, NJ 08723.

Office (732)-262-1600 Fax (732)-262-1606

General Instructions for Surgical Patients BEFORE SURGERY

- 1. 5 days prior to your surgery please shower daily with Hibiclens. It can be purchased over the counter, ask the pharmacist if you cannot locate it.
- 2. 7 days prior to your surgery apply Bactroban ointment twice a day in your nasals.
- 3. 2 days prior to your surgery begin taking Colace stool softener 100mg twice a day and continue taking after surgery as long as your are taking the pain medication that will be prescribed to you. Colace can be found at any pharmacy over the counter.
- 4. The morning of your surgery do not apply any lotion, deodorant, powder.
- 5. DO NOT TAKE ANY ASPIRIN OR NON-STEROIDAL ANTI-INFLAMMATORY DRUGS 7-10 DAYS PRIOIR TO YOUR SURGERY.
- 6. Stay out of the sun or tanning booths two weeks prior to your surgery.
- 7. Stop smoking six weeks prior to your surgery & six weeks after your surgery. Patients who take nicotine have a significantly higher risk of complications. Smoking cessation can be arranged if you desire.
- 8. Report any signs of cold, fever, infection, boils and/or pustules appearing two weeks prior to your surgery.
- 9. Make arrangements for any driving and/or childcare as necessary. Have someone available to drive you home from surgery. An adult should be with you for the first 24 hours after your surgery. You will not be able to leave the hospital and/or surgery center alone or drive a car for at least 24 hours after surgery or for as long as you are taking pain medication. Remember it is illegal to drive while under the influence of narcotics.
- 10. Have nothing to eat or drink after midnight the night before your surgery. Refrain from the use of alcohol or drugs for at least 48 hours prior to surgery and for one week after your surgery.
- 11. Wear loose fitting clothing the day of surgery. Do not wear any jewelry.
- 12. Do not wear contact lenses or nail polish the day of your surgery.
- 13. Please bring your identification, insurance card and a list of your daily medications with you the day of your surgery.

JARROD P. KAUFMAN, MD FACS General & Advanced Laparoscopic Surgeon

NJ State Chair: Commission on Cancer of the American College of Surgeons

Emeritus Chair: Melanoma Workgroup: NJ Governor's Task Force on Cancer Prevention, Early Detection & Treatment

Founding Director of the Cutaneous Oncology and Melanoma Program @ Centrastate Medical Center, Emeritus

Specializing In:

General Surgery, Surgical Oncology, Advanced Laparoscopy, Surgical Endoscopy, Ultrasound, and Endovenous Surgery

Board Certified:

American Board of Surgery

Fellow:

American College of Surgeons: ACS NJ State Chair, Commission on Cancer

Surgical Procedures:

Laparoscopic: Hernias Complex Recurrent Hernias Abdominal Wall Reconstruction Laparoscopic Antireflux Surgery Incisionless Hiatal Hernia Repairs Laparoscopic Cholecystectomy Laparoscopic Colonic Resection Laparoscopic Adrenalectomy Laparoscopic Splenectomy Laparoscopic Appendectomy Laparoscopic Bowel Obstruction Laparoscopic Ultrasonography Laparoscopic Cancer Staging Robotic Surgery Breast Surgery Melanoma Surgery Sentinel Node Biopsy Lymph Node Biopsy Soft Tissue Tumor Resection Thyroid and Parathyroid Surgery Endovenous Surgery: Varicose Vein Laser and Radiofrequency Ablation Trivex Ambulatory Phlebectomy Vena Cava Filters

Diagnostic Studies:

Ultrasound Procedures for the Diagnosis and Treatment of Breast, Thyroid, and Venous Disease, Radiofrequency and Laser Closure of Varicose Veins. Ultrasound Guided Breast Biopsy and Fine Needle Aspiration of Thyroid Abdominal Ultrasound Lymph Node Ultrasound

Location:

525, Route 70, East Suite 1B Brick, NJ 08723.

Office (732)-262-1600 Fax (732)-262-1606

General Instructions for Surgical Patients AFTER SURGERY

Following your surgery you may experience some of the following symptoms; PAIN, SWELLING, BRUSING, OOZING AND/OR MINIMAL BLEEDING from the surgical site, constipation and/or gas or fever less then 100.5. These are <u>normal</u> but should any of these symptoms be severe or should you have any concerns during your post operative healing process please call our office @ 732-262-1600.

PLEASE REFER TO THE FOLLOWING;

Post Operative Appointment: If you do not have an appointment already scheduled for after your surgery please call our office. You are to be seen within 7-10 days after surgery for staple/suture removal and post operative follow-up.

Driving: It is recommended that you not drive until after your post operative appointment.

Showering/Dressing Change: You may shower 48 hours after your surgery. Your surgical site will be covered with a bandage, remove the bandage before you shower. If the bandage sticks to the surgical site moisten it with water and carefully remove the bandage. DO NOT LET THE FORCE OF THE SHOWER HIT DIRECTLY OVER THE SURGICAL SITE. DO NOT RUB.

Resume your anti-Coagulation medication 24 hours after your surgery unless directed otherwise.

Do not lift anything weighing more then 30lbs. for 4-6 weeks after your surgery.

If you were given a special diet follow it for six weeks after your surgery.

Drink at least 6-8 glasses of liguids daily. If you have not had a bowel movement within 24 hours after surgery you may take a gentle over the counter laxative such as Miralax. If this is not effective, please contact our office @ 732-262-1600.

Refrain from strenuous physical activity until further evaluation at your post operative visit.

If you were instructed to wear a compression garment, it is to be worn for two weeks.