

Chemical Peel

Pre & Post-Treatment Instructions



Juan-Carlos Caballero, MD
(540) 341-1900

IMPORTANT INFORMATION

- You cannot have a chemical peel if you are pregnant or breast feeding.
- You cannot have a chemical peel if you have active herpes (cold sore) on the lips.
- You must avoid sun exposure or tanning beds for 2 weeks before and after a chemical peel.

PREPARING FOR TREATMENT

- To maximize the benefits and results from your chemical peel, it is recommended that you begin a complete skin care regimen.
- Discontinue using skincare products containing retinol, glycolic acid, salicylic acid, benzoyl peroxide, or hydroquinone at least 1 week prior to your procedure.
- If you are taking Accutane, you must discontinue its use at least 6 months prior to having a chemical peel.
- If you have a history of "cold sores," please let your provider know. Medication can be prescribed to minimize the possibility of a flare up following your treatment.
- Do not have waxing, electrolysis, microdermabrasion, laser, or any other procedures in the treatment area at least 1 week prior to your chemical peel.

POST TREATMENT INSTRUCTIONS

- Use only gentle products on your skin for 36 hours (nothing "anti-aging" or abrasive).
- You may resume your regular skin care regimen 3 days after receiving your peel, or when any flaking or peeling has resolved.
- Avoid sun exposure and use sunscreen with SPF 30+ every day.
- Do not pick at or pull off flaking skin, as this could result in scarring.
- Some patients may experience erythema (redness), tightness, minor swelling and/or peeling of the superficial layer of the skin following a chemical peel. These effects usually last a few days to 1 week.