

FEMALE HEALTH ASSOCIATES OF NORTH TEXAS Jeff Hantes, D.O.

Director, Urogynecology Texas Health Harris Methodist

CO2 Laser Skin Resurfacing

Enclosed with this packet are the pre and post care instructions for the CO2 laser skin treatment. I will need to call in 3 – 4 prescriptions to your pharmacy prior to your appointment. You will need to bring all of your prescriptions with you on the day of your procedure. It is recommended that you have someone to drive you home afterwards. There is also a numbing cream that you will need to purchase. I can call it in to the pharmacy (located in Plano) or you can purchase it at the office for \$30.00 the day of your appointment. For the post treatment skin care, you have the option of purchasing Neova Skin Care from the office for \$39.95 or you can purchase an over the counter balm such as Z-calm or Aquafor Ointment. Please complete the new patient paperwork and mail or fax it to the office. If you have any questions, please don't hesitate to call the office at 817-731-3936.

Informed Consent for Fractional CO2 Laser Procedures

INITIALS		
results may vary depending I understand that more than	Fractional CO2 laser is intended skon the condition of skin, skin type, one treatment may be needed for the known conditions that could may	and area treated. optimal results.
contraindicated:	ine movin containons that could me	and dedutiest
Pregnancy or currently bre	act fooding	
	or fever blisters) in area to be tre	atad
History of keloid scarring	of level bilsters) in alea to be tre	ated
	rassa photosopoitivity	
Use of medications that incTattoo in treated area	rease photosensitivity	
Auto-Immune Disorders		
Diabetes		
Using Accutane		
 Use of aspirin, Ibuprofen, of 	or other anti-inflammatory medicati	ions
 UV light exposure 3 days p 	rior and 3 days post treatment	
I am fully aware of the possib	le complications from the Micro-Sp	oot Fractional CO2 laser,
including but not limited to:		
 Mild to moderate discomform 	t	
 Redness or swelling at the 	treated area	
 Sun sensitivity 		•
 Skin sensitivity 	·	
 Blistering 		•
Bruising/Swelling/Infection	(rare)	
	in pigmentation changes (rare): I	ovno- or
hyperpigmentation	programma or orientages (care).	.,,,,,
 Scarring (rare) 		
<u> </u>	yewear will be provided to me	
I understand that there are of	her alternative treatments for skin	rejuvenation besides the
Micro-Spot Fractional CO2 las	ar	rejuveriation besides the
	be taken for my medical records	
I certify that I am a competen	t adult of at least 18 years of age	and that this concent is
given freely and voluntarily.	t addit of at least to years of age	and that this consent is
given freely and voluntarily.		
Lagrage that this constitutes full dis	ologuwa amalikhani ik asmassa da a assa	
I agree that this constitutes full dis	closure and that it supersedes any	previous verbai or written
disclosures. I certify that I have re	au anu runy understand the above	information and that I
nave had sufficient opportunity for	discussion to have any questions a	inswered.
		•
Sanatana af Data a 10		
Signature of Patient/Guardian	Print Name/Relationship	Date
	•	
	West Control of the C	
Signature of Witness	Print Name/Relationship	Date

PATIENT INFORMATION AND INSTRUCTIONS Laser Resurfacing using Mixto SX Fractional CO2 Laser

WOUND CARE

- 1. You will experience a burning sensation on the skin that will last between 30 minutes and 3 hours on up to the first day.
- 2. If you have discomfort following the treatment, take Tylenol or ask for a pain -killer prescribed by the doctor (i.e. Vicodin or Lortab). Take with food.
- Treatment to the Facial Area will result in an appearance similar to a darker tan/ sunburn for the first day. A fine scab will be formed by the skin do not be concerned, this promotes the healing process.
- 4. Redness may persist up to 2 days. At this point, makeup can be applied. 3-4- Days your face will get darker, and then near the 5th day peel. More intense treatments can take up to 7 days for recovery.
- 5. Wash using a mild soap purpose like Neutrogena or a soap-free cleanser like Cetaphil. If you purchased the BIO2 Cosmeceuticals Post Laser Treatment, use the 'Azulene Cleanser' 4 6 times per day .
- 6. After washing your face, immediately apply the Oxymist Spray (if you purchased it) and then apply the 'Protective Recovery Balm' as needed for moisture. If you did not purchase the Bio2 Cosmeceuticals Post Laser Treatment balm, you may use a similar product such as Z-Calm or Aquaphor Ointment instead. Avoid Hot Water.
- 7. Eye Area: Treatment to the upper Eye Lids may result in swelling and create a slight squint. Redness may persist up to 3 days. Cleanse your eyes with cool water and dab or pat lightly with towel. Avoid Hot Water. Lubricating eye drops (i.e. artificial tears) will help to decrease dryness of your eyes.
- 8. If the skin around the mouth is tight, minimize facial expressions.
- Rest. Avoid strenuous exercise, bending, straining, stooping or lifting heavy objects for 3
 days after procedure. These activities may cause swelling and pain on your face and slow
 down your recovery.
- 10. Sleep with your face elevated above your heart for the first day after the procedure.
- 11. Avoid sun exposure for at least six months. A sunblock SPF 30 or higher should be applied every day. Use hat and sunglasses. Your skin is extremely vulnerable to the sun after having laser treatment. Protecting your skin and limiting sun exposure ensures the best cosmetic results.
- 12. At the time of scheduling the laser procedure, please schedule your follow-up appointment for 1 week after the procedure.

FEMALE HEALTH ASSOCIATES OF NORTH TEXAS A PROFESSIONAL ASSOCIATION

Healing starts with the migration of epidermal keratinocytes from islands of undamaged tissue and from nearby epidermal adnexal structures (sweat glands, sebaceous glands, & hair follicles) to the edges of the laser wounds. This migration of epithelial cells continues horizontally across the wound bed until the epithelial cells grow together. Next, the undifferentiated keratinocytes start the differentiation process, dividing and migrating upwards to recreate a new epidermis.

A moist environment will aid in keratinocyte migration during the healing process, therefore it is essential that the skin be kept moist until re-epithelialization is complete. Initially, some exudate is good which acts as a natural wound covering, provides the wound with nutrients and growth factors, controls infection, and supplies moisture to the wound all of which aids in the natural healing process. Nevertheless, if this biologic material is allowed to buildup (even if it is kept moist) it can eventually retard effective epithelialization, foster colonization of bacteria causing infection, resulting in slower healing and dermatitis.

If the exudate is allowed to dry out and form a crust or scab, it will impede healing even more, will increase pruritis (itching), and if peeled off prematurely, can lead to scarring. Patients should be refrained from inappropriately removing any crusting.

 Moisturizing Process: Exudate can be kept moist by applying copious amounts of topical moisturizer periodically (3 to 4 times a day minimum) or whenever the skin starts to feel dry.

Note: There is increased evidence that the proper use of emollients will dampen the immune reactions and lessen the degree of duration of post-op inflammation.

 Soaks: it is important to gently soak the treated tissue several times a day using a soft cloth saturated in plain water, saline, or hydrogen peroxide (alternatively, a dilute vinegar solution can be used as explained below).

This will help keep the skin moist, will aid in removing any exudate build-up (crusting) and will also allow the moisturizing ointment (applied immediately after soaking) to better penetrate the surface of the skin.

Note: At a minimum gently splash your face with warm water every few hours.

This needs to be done until all crusting has peeled off.

Vinegar Soaks: Gentle cleaning and soaking with a diluted vinegar solution (which is mildly acidic) will help dissolve any unwanted material from the wounded skin use, alleviate pain (soothing), promote healing, and inhibit bacterial growth (especially against pseudomonas and gram negatives).

Vinegar has a tonic action that promotes blood circulation in the small capillaries that irrigate the skin. It is also antiseptic, preventing the proliferation of bacteria, viruses, or yeast that trigger infection. It can dissolve excessive fatty deposits at the skin surface, dissolve and cleanse any necrotic material, and reduce scaly or peeling conditions. Lastly, vinegar regulates the pH of the skin.

This is just another weapon in your arsenal of things to use to improve the overall clinical outcome!

Vinegar soaks regimen: If vinegar soaks are used, they should be started in the morning on the day after surgery and continued until all crusting is gone and the skin has re-epitheliazied.

- 1. Thoroughly wash hands before touching the treated area (use antiseptic soap).
- 2. Prepare a water/vinegar solution as follows:
 - a. Mix 1 teaspeen (5-ml) of cool tap water (some physicians recommend using distilled water) with 1 eup (237-ml) of plain white vinegar. If this solution stings or burns, dilute vinegar solution by using 1 teaspoon to 2 cups (1 pint) of water. This solution may be mixed a head of time and put in the refrigerator. Prepare a new solution each time to prevent contamination.
- 3. Take a clean wash cloth (gauze pad or cotton swab) and soak it in the water/vinegar solution. Ring out any excess and then lay it over the treated area for 10 to 15 minutes. Do not rub vigorously but using the wash cloth you may gently remove (don't pick) any loose crusting.
- 4. When done soaking, gently pat the treated area dry with a clean soft towel. You can't soak too much. Soaking will reduce redness and speed healing. Note, you do not have to remove all of the moisturizer from off your face.
- 5. Next, reapply the cooling ointment generously.
- 6. Repeat this procedure 3 to 4 times daily until all crusting is gone.

The more aggressive the peel, the more benefit can be derived from using vinegar soaks. For very mild peels, vinegar soaks may not be necessary.

 Once Re-Epithelialization is Complete (skin is not broken, crusting phase has subsided, treated area is smooth, red and pink): soaks and ointments are discontinued, makeup and sunblock can now be applied and the patient can start using a mild moisturizer or post-laser healing cream.

Besides containing ingredients that moisturize, provide a barrier to outside contaminates, and promote healing to reduce recovery time, other qualities to look for in a post-laser skin care product are ones that are:

- ✓ fragrance Free
- ✓ colorant Free
- ✓ preservative free
- ✓ PH-balanced
- ✓ anti-inflammatory
- √ hypo-allergenic
- ✓ paraben free
- ✓ lanolin free

Other traits to look for in a post-laser resurfacing moisturizer are ones that:

- ✓ reduce edema (swelling)
- ✓ reduce erythema (redness)
- helps prevent weeping (oozing) and crusting (absorbs exudate)
- are non-comedogenic & protect against the formation of milia
- ✓ increase skin exfoliation
- resist bacterial contamination/infection
- increase collagen production
- ✓ reduce the risk of PIH
- ✓ and are soothing

Complex Moisturizers: If use of a complex healing ointment or cream is desired post-op (either immediately post-procedure or after re-epithelialization), there are numerous products to choose from, marketed specifically for use after laser treatment. Many of these moisturizers have been clinically proven to shorten tissue healing time.

Although not necessarily having all of the above traits, listed below is a sampling of some of the more common products on the market specifically designed to enhance healing after laser resurfacing, dermabrasion or chemical peel:

- ✓ Protective Recovery Balm by BiO₂ Cosmeceuticals
- ✓ Post Laser Treatment Gel by Régima® Skin Treatments
- ✓ Post Laser Gel by Visual Changes®
- ✓ Biafine® by OrthoNeutrogena
- ✓ Cicalfate Restorative Skin Cream by Avene
- ✓ Z Calm Post Laser Revitalizing Cream by Creative Technologies, Inc.
- ✓ Post Laser Ointment by Physicians Complex®
- ✓ Res-Q by One Stop Pharmacy Inc.
- ✓ Donell Post-Procedure Ointment by Donell Super-Skin
- ✓ Complex CU₃® Intensive Tissue Repair Crème by ProCyte Corporation
- ✓ Laser Post Procedure Balm by Elta MD™
- ✓ Bio-restorative Skin Cream by Neocutis
- ✓ Rescue Post Treatment Crème by Four Seasons Skin Care
- ✓ Laserfade Post Laser Gel by Hanson Skincare
- ✓ Humatrix® Microclysmic Gel by Care-Tech® Laboratories Inc.
- ✓ Post Skin Resurfacing Balm by DermaQuest™ Skin Therapy
- ✓ pHaze 17 ReBalance by PCA skin®
- ✓ Post Peel Quick Recovery by DLC Dermatologic Cosmetic Laboratories®
- ✓ Clarifying Hydrate Conditioning Cream by Glytone®

Note: Whether to use a post-laser treatment moisturizer or not, if so, which brand and when to start its application is a medical question each practitioner will have to make for themselves.

If a skin bleaching regimen was prescribed pre-op, it should not be resumed until at least 7 to 10 days post-op (or at first sign of PIH) in order to assure that the skin is sufficiently healed up.

Makeup: The patient can now apply water-based makeup. Purchase new application sponges or brushes. Infection or acne eruption can be due to accumulated bacteria.

Note: Patients should be warned that their skin will be more susceptible to irritation from makeup and hence it should be applied cautiously and conservatively. If irritation occurs they should switch to something less sensitizing.

Sunblock: Patients can now start using a full-spectrum (UVA & UVB) sunblock.

UVB radiation causes sun burn / UVA radiation causes an increase in melanoma & pigment change.

Do not use <u>sunscreens</u> since they absorb UV light and release it as heat into the skin. (There is some evidence that heal alone can lead to PIH.)

Rather, use sunblock which deflects or scatters (blocks) UV light.

Use <u>sunblock</u> with a SPF of 30 or higher. SPF is a universal measurement of how well you are protected from UVB radiation. No comparable standard exists for UVA radiation.

So for UVA protection, use a high quality <u>sunblock</u> containing one or both of the following ingredients: micronized titanium dioxide or zinc oxide of greater than 10%.

Also, do the following:

- ✓ Avoid all direct sun exposure for 3 5 days or until redness is completely gone.
- ✓ If patient must go outside, use sunblock of SPF 30 or higher.
- ✓ Apply ½ hour before going outside for improved protection.
- ✓ Use sunblock for at least two weeks (3 6 mounts is better) after treatment any time outside in sun. (Sun avoidance and use of sunblock should be a life-long endeavor.)
- ✓ Use a mirror to apply sunblock evenly.
- ✓ Must be reapplied every 2 hours to be fully effective.
- ✓ Also use physical blockers such as hats, scarves and sunglasses when possible.
- Elevate Head: When sleeping the first night after treatment, elevate the head (or other treated area) using 2 3 pillows to reduce swelling.
- Bath/shower: The patient can shower or bath at any point in time post-operatively (although better
 to wait until the next day). Avoid hot showers or baths. Preferably take short warm showers. (Cold
 showers may be soothing and help remove heat). If you take a shower, avoid running hot water
 directly on the treated area. After bathing, gently pat dry the treated area with a soft cloth. Never
 wipe hard with a towel. Wash your hair everyday with baby shampoo (or other non-irritating
 shampoo) until completely healed.
- No Hot Tubes, Jacuzzis, or Swimming Pools (with chemicals/chlorine) until redness is completely gone.
- No Strenuous Exercise: Do not participate in any strenuous exercise (such as bending, squatting, straining, or heavy lifting) until all redness has completed resolved. Avoid activates that cause excessive perspiration. No contact sports.
- Minimize Facial Expressions: If the skin around the mouth is tight, minimize facial expressions until healed.
- No Alcoholic Beverages: Patients should avoid alcohol for 24 to 48 hours post-op (or until redness is gone).
- Recovery process: The recovery process will vary from patient to patient and on the level of treatment prescribed. On average, 5 – 7 days on the face, and 7 – 10 days off face (e.g., neck, décolletage, dorsum of the hands, arms, etc.)

Note: Using more aggressive settings (or use of the 180 µm spot handpiece) may increase post-operative edema, erythema and recovery times from those stated above.

Post-treatment Photos: Photos of the treatment area should be taken before the patient leaves the
office post-op and during subsequent office visits to track the progress of healing.

Pain: Other than a mild burning sensation for the first few hours, most patients
 experience no other pain. For mild pain, the patient can take acetaminophen (Tylenol or
 equivalent) for discomfort.

Do not take aspirin or aspirin related drugs during the healing period.

For moderate pain relief, stronger pain medication can be prescribed if necessary. Commonly used narcotics are listed below:

- Tylenol #3 (acetaminophen with codeine)
- Lorcet, Lortab, Vicodin (hydrocodone with acetaminophen)
- OxyContin, Roxicodone (oxycodone)
- Percocet (oxycodone with acetaminophen)
- Darvon (propoxyphene)
- Darvocet (propoxyphene with acetaminophen)
- Demerol (Meperidine hydrochloride)

Note: Intense pain may be a sign of infection and in such cases the patient should be seen immediately.

Pruitis (itching): Some patients experience a high level of itchiness for 2 – 3 days post-op.

This is normally due to the release of histamines during the healing process, which can be explained to the patient as a good sign. (It could also be a sign of dry skin due to inadequate use of moisturizers).

These patients can be prescribed 1% or 2.5% hydrocortisone applied topically once or twice a day for 2 days and/or an over the counter antihistamine (e.g., Benadryl). Remind the patient that taking an oral antihistamine can cause drowsiness.

Recommend the Long-Term Use of Anti-Aging and Collagen Promoting Skin Care Products:

The long term use of skin care products post-treatment that promote collagen formation (which peaks during the next 3 to 6 months) will aid in skin tightening and wrinkle reduction allowing more patients to achieve their desired cosmetic goal.

When choosing a skincare product to promote anti-aging and collagen production, some of the ingredients to look for are:

- ✓ Alpha Hydroxy Acid (AHAs) should be at or above 8% to be effective
- ✓ Beta Hydroxy Acid (BHAs)
- ✓ Alph-lipoic Acid
- ✓ Retinoids
- ✓ Antioxidents
 - Green Tea

- Pomegranate
- French Maritime Pine Bark
- Astaxanthin
- Ferulic Acid
- Prevage
- Cysteine
- Methionine
- Flavoniods
- Vitamin D3.
- ✓ Kinetin
- ✓ Vitamin C should be above 10% to be effective
- ✓ Vitamin E
- ✓ Copper Peptides
- ✓ Zinc Oxide
- ✓ Selenomethionine
- ✓ Soy-isoflavones
- ✓ Glutathione
- Return office visit: The optimal time to have the patient return for a check-up on the healing progress varies amongst practitioners; first return visit between days 1 3, and second return visit between days 7 10. Of course any indication from the patient that they are having some sort of adverse side affect will warrant an immediate office visit. Some physicians also recommend a revisit at 3 and 6 months post-procedure.
- Possible Complications: Have the patient call the office immediately if they have any fever, chills
 or pain after treatment that is not relieved by the prescribed pain medication. Also if they have
 excessive redness, blistering, swelling, bleeding, itching, yellow or cloudy discharge which could be
 a sign of infection. Increasing pain with deterioration in the appearance of the skin may also be the
 first signs of infection. Failure to diagnose and promptly treat these conditions may delay healing and
 lead to scarring.



FEMALE HEALTH ASSOCIATES OF NORTH TEXAS

1327 Hemphill Street, Suite 100 Fort Worth, Texas 76104

NEW PATIENT GYN HISTORY

Today's Date:							
Name:			Primary Care Physician:				
			·				
MENSTRUAL HISTO					<u>.</u>		
Onset Age:	_ Cycle l	Every	Days Length:Days		Menopausal		
Last Menstrual Po	eriod:	/	<u></u>		Hysterectomy		
					Hysterectomy w/removal of ovari		
					·		
				П	Ablation		
PREGNANCY HISTO	<u>DRY</u>	-		<u></u>	LANAMEUH		
TOTAL Pregnancies:		Births	Living Children Abortic	ons			
					•		
			Previous Contracep				
Problems w/Contrace	ption						
			Results				
History of Previou	ıs Abnorr	nal Pap Sr	near: YES/NO If Yes, When:	_/			
Treatment			Follow-Up Treatment:				
Last Mammogran	ı/_	/	Results				
			Results				
SOCIAL HISTORY			DETAILS				
Alcohol	□Yes	□No	Drinks per Week	_ Туре	e of Alcohol		
Caffeine	□Yes	□No	Drinks per Week	_Туре	e of Caffeine		
Tobacco	□Yes	□No					
Substance Abuse	□Yes	□No			ils		
Exercise	□Yes	□No					
Occupation	□Yes	□No					
CHRONIC MEDICAL	CONDI	TIONS:					
					· · · · · · · · · · · · · · · · · · ·		

Page Two New Patient GYN History

MEDICAL HISTORY - Past & Present

					•				
	Anemia			Heari	ing Proble	ms			Psychiatric Problems
	Asthma/Bronchites			Нера	titis				Seizure Disorder
	Blood/Black Bowel Move	mer	ıt 🗆	Hiata	l Hernia				STD
	Cancer			High	Blood Pre	ssure			Stomach Ulcers
	Depression			Kidne	ey Stones				Stroke
	Diabetes			Osteo	porosis				Thrombophlebitis/Blood Clo
	Gallstones		. 🗖	Other	•				Thyroid Disorder
	Headaches			Probl	ems with I	Muscl	les, Bones,		Visual Disorders
	Heart Disease			Nerve	s, or Joint	ts			Vomited Blood
COMM	IENTS:								
PAST S	SURGERIES (Please note t	the 1	month &	Year)	<u> </u>				
SERIO	US INJURIES, ACCIDEN	TS,	ILLNES	SES:_					
BLOOI	D TRANSFUSIONS (Pleas	e no	te the me	onth &	v Year):				
FAMIL	Y HISTORY (check conditio	ns w	hich apply	to gran	dparents, na	rents.	siblings, or chi	ild)	
	Birth Defects		Kidney	-		,			Negative Family History
	Breast Cancer		Lung P	roblen	ıs				Adopted
- 🗆	Cancer, other		Osteoar				Skin Diseas	se	•
	Colon Cancer	□ ·	Osteopo	rosis			Stroke		
	Diabetes		Ovarian	Canc	er		Thrombor	hleb	oitis/Blood Clot
	Heart Disease		Rheuma	ıtoid A	rthritis		Thyroid P		
	High Blood Pressure		Seizure	Disord	ler		Tuberculo		
PERSO	NAL GYNECOLOGICAL	. НІ				.			
	Vaginal discharge or irrita			1 ası □	Pelvic Al		nality		
	Difficulty getting pregnant		•				•	OOTIT	vaginal bleeding
·				_	·	ng, frequen			
· <u>-</u>						_	-	•	
	Concern about STD Expos	_					oain, or disc		
	Loss of Urine	ure	•						or heaviness, low back pain
. Ц J	LUSS OF ORIGE				Do you p	ractic	e self breas	t exa	minations?
COMMI	ENTS:								



FEMALE HEALTH ASSOCIATES OF NORTH TEXAS

Jeff Hantes, D.O.

Director, Urogynecology Texas Health Harris Methodist

Dear Patient,	Name	
The transfer of information to better information in the s	opted a new electronic health record system and no longer use paper chation is a lengthy process and it is vital that we have all of the necessar assist our patients. In doing so, we ask that you provide your pharmacace provided below. This will allow us to send your prescriptions in a tire any possible drug interactions.	ry Y
PHARMACY NAME:		
ADDRESS:		
changes in your medi	t we keep you medication list updated in our system. If there have been stince your last visit, please note below. Please circle whether you on or stopped taking a particular medication.	an any I have
MEDICATION:	BEGIN/STOP DATE:	
MEDICATION:	BEGIN/STOP DATE:	•
	BEGIN/STOP DATE:	
MEDICATION:	BEGIN/STOP DATE:	
	BEGIN/STOP DATE:	
COMMENTS:		

FEMALE HEALTH ASSOCIATES OF NORTH TEXAS A PROFESSIONAL ASSOCIATION

Confidential Patient Questionnaire

Please take a few moments to answer the questions below. Your feedback will help us to determine whether to offer our valued patients several of the country's most popular aesthetic and medical procedures. *Please return to front desk after completing*.

Patient Name:	Date of Birth:
Email Address:	Telephone:
Are you interested in a new minimally invasive discomfort or downtime? Yes No	liposuction procedure that can be done in the office with minimal
	ional Laser Skin Resurfacing for the treatment of age spots, sun retch marks and acne scars? Yes No
tighter, more youthful vagina with normal anat	inal Rejuvenation procedure that uses a laser to create a smaller, tomic contours? Yes No This procedure will help to restornaged from childbirth, aging, and/or previous gynecology surgery.
Are you interested in a physician directed weightes No	ht-loss program that can help you lose 1 – 3 pounds per day?
Would you be interested in Botox Cosmetic write would you be interested in treating? Forehead _	inkle removing therapy? Yes No If yes, which facial are Crow's Feet Frown Lines
	No If yes, which facial areas would you be Vertical Lip Lines Lip Borders Marionette Lines (lines ar
Would you be interested in a permanent form o cutting or the risks of getting your tubes tied?	of birth control that is gentle, hormone-free and can be done with Yes No
Do you suffer from heavy periods? Yes No office procedure that can stop or significantly rec	o If yes, would you be interested in learning more about an induce heavy bleeding? Yes No
	ring physical activity such as coughing, laughing, sneezing or lifting ed in learning more about a minimally invasive approach to treating
	No If you are waking up several times a night to use the sor even scoping out public bathrooms whenever you leave home, e to you.
	e vaginal or pelvic area, often made worse with physical activities ? Yes No If so, would you like to learn more about nones No
· Would you be interested in Rio-Identical Hormo	one Replacement therapy to treat the symptoms of menopause

including: hot flashes, weight gain, irritability, vaginal dryness, sleep disturbances and low libido? Yes____ No_

PATIENT REGISTRATION FORM

.*	
**Today's Date:	Clinic Name:
PATIENT INFORMATION: (Please use full legal name,	, no nicknames)
*Last Name:*First	
*Address:	
City:	State: Zip:
Home Phone #: ()	*Social Security #:
*Date of Birth: Age:	*Sex: Marital Status: Drivers Lic#:
*Employer Name and Address:	
	Work Phone #: (
E-mail Address:	Cell Phone #: ()
	Emerg Phone #: (
DI4-II t	Referred by
GUARANTOR INFORMATION: (List person or insured	name responsible for bill - use full legal name, no nicknames)
*Relationship of Guarantor to Patient: Self	Spouse Parent Other
	Name: Middle Initial:
*Address:	
City:	State: Zip:
Home Phone #: ()	
Date of Birth: Age:	
	·
Employer Name and Address:	
	Work Phone #: (
NSURANCE INFORMATION: (Please allow receptionist	t to photocopy your insurance ID cards)
IF SOMEONE OTHER THAN PATIENT IS THE INSURED P	PARTY, PLEASE INCLUDE DATE OF BIRTH FOR CLAIMS
PRIMARY INSURANCE;	
lan Name:	*Insured's Name:
nsured's Social Security#:	*Insured's Date of Birth:
Policy / ID #:*Gr	roup #: Eff Date:
Claims Address & Phone:	
ECONDARY INSURANCE:	
lan Name :	*Insured's Name:
Insured's Social Security #:	*Insured's Date of Birth:
	oup #:* Eff Date:
·	
aims Address & Phone: REOUIRED FIELDS-PLEASE COMPLETE FOR BILL	ING. *ATTACH COPY OF INSURANCE CARDS.
	mig. Aliachicofi of Hisurance Cards,

Please read and sign back of form.



FEMALE HEALTH ASSOCIATES OF NORTH TEXAS A PROFESSIONAL ASSOCIATION

Financial Responsibility Agreement

ent Name:	DOB:		Date of Visit:/	′
I,and all charges for services or visit, Preventative exam of service or Diagnostic testing	not paid by my insura or physical, Lab testing	nce visits. Thi g, X-Ray, EKG,	and any other Screening	ervi
I understand and agree it is Clinic to know if my insurand exam or physical, Lab testing ordered by the physician or	ce company will pay fo g, X-ray, EKG, or any o	or my Medica	l service visit, Preventati	ve
I understand and agree it is payment, Co-insurance, Out type of benefit limitation for	t-of Network amount,	Usual and Cu	stomary Limit, or any oth	
I understand and agree it is a is a contracted in-network p physician or provided is not claims being denied or higher be financially responsible an	rovider recognized by recognized by my insu er out-of-pocket exper	my insurance urance compa	e company or plan. If the ny or plan, it may result i	n
I understand and agree it is a my insurance company or pl insurance company, it may r financially responsible and m	lan. If I have requeste esult in claims being c	d a PCP chang	ge that is not processed b	y n
I am also aware that there me company. There will be a charge regular appointment with less subject to a \$35.00 charge. It has been set aside will result covered by the insurance conset (FMLA).	eck fee of \$25.00 for a ss than 24 hours notic Failure to show for an t in a \$50.00 charge. A	all returned cl e or not show in-office prod Also, completi	necks. Failure to cancel a ring for an appointment is edure where adequate to on of medical forms not	s ime
Signature:		_ Date	:	
Print Name:		Witn	ess:	

TEXAS HEALTH MEDSYNERGIES PATIENT REGISTRATION FORM DISCLOSURES & CONSENTS

Patient Name:			Date of Birth:
	Last Name	First Name	
I hereby authorized individually for so supervision. I und services I am to re	ervices rendered to n lerstand that it is my eceive are a covered	my insurance benefits to my dependents, or me, by responsibility to know r benefit. I understand and	Texas Health MedSynergies or the physician the physician or those under his/her my insurance benefits and whether or not the dagree that I will be responsible for any coto collect from my insurance carrier for
I certify that the in authorize the relea direct that paymen	nformation given by ase of any of my, or	my dependent's records endent's authorized bene	BENEFITS: nent under these programs is correct. I that these programs may request. I hereby fits be made directly to Texas Health
I certify that I hav Privacy Practices' any of my, or my	e read and been offe '. I hereby authorize dependent's medica	ered a copy of the Texas Texas Health MedSyner	Health MedSynergies. "HIPAA Notice of rgies. or the physician individually to release personal information that may be necessary ng of insurance benefits.
I certify that I und Health MedSynery regarding my heal arrangements, and	erstand the privacy of gies representative of theore, including but diagnostic test resu	or my physician to mail, out not limited to such thin	calls, and e-mail. I hereby authorize a Texas call, or e-mail me with communications gs as appointment reminders, referral twe the right to rescind this authorization at
I understand that I services. I further	understand that I am	rate bill if my medical ca	are includes lab, x-ray, or other diagnostic for any co-pay or balances due for these ver reason.
I hereby consent to	TREATMENT: o evaluation, testing, under his/her super-		ed by my Texas Health MedSynergies
PATIENT SIGNA	TURE:		DATE:
	GNATURE:		
GUARANTOR N.	AME (Please Print):	<u> </u>	

Female Health Associates of North Texas

THIS NOTICE DESCRIBES HOW MEDICAL INFORMATION ABOUT YOU MAY BE USED AND DISCLOSED AND HOW YOU CAN GET ACCESS TO THIS INFORMATION.

PLEASE REVIEW IT CAREFULLY.

Uses and Disclosures

Treatment. Your health information may be used by staff members or disclosed to other health care professionals for the purpose of evaluating your health, diagnosing medical conditions, and providing treatment. For example, results of laboratory tests and procedures will be available in your medical record to all health professionals who may provide treatment or who may be consulted by staff members.

Payment. Your health information may be used to seek payment from your health plan, from other sources of coverage such as an automobile insurer, or from credit card companies that you may use to pay for services. For example, your health plan may request and receive information on dates of service, the services provided, and the medical condition being treated.

Health Care Operations. Your health information may be used as necessary to support the day-to-day activities and management of [name of practice]. For example, information on the services you received may be used to support budgeting and financial reporting, and activities to evaluate and promote quality.

Law Enforcement. Your health information may be disclosed to law enforcement agencies who support government audits and inspections, to facilitate law-enforcement investigations, and to comply with governmentmandated reporting.

Public Health Reporting. Your health information may be disclosed to public health agencies as required by law. For example, we are required to report certain communicable diseases to the state's public health department.

Research

Provider may disclose your medical information to people preparing to conduct a research project (for example, to help them look for patients with specific medical needs) so long as the medical information they review is not removed from the premises of this practice. Provider may also disclose the medical information of decedents for a research project, so long as the information is necessary for the research.

Other uses and disclosures require your authorization. Disclosure of your health information or its use for any purpose other than those listed above requires your specific written authorization. If you change your mind after authorizing a use or disclosure of your information you may submit a written revocation of the authorization. However, your decision to revoke the authorization will not affect or undo any use or disclosure of information that occurred before you notified us of your decision to revoke your authorization.

Additional Uses of Information

Appointment Reminders. Your health information may be used by our staff to send you appointment reminders. If you would like this office to communicate your health information to you in a confidential manner, please indicate your wishes on the 'Acknowledgement of Receipt of HIPAA Notice of Privacy Practices' form.

Information about treatments. Your health information may be used to send you information that you may find interesting on the treatment and management of your medical condition. We may also send you information describing other health-related products and services that we believe may interest you.

Individual Rights

You have certain rights under the federal privacy standards. These include:

- The right to request restrictions on the use and disclosure of your protected health information;
 - The right to receive confidential communications concerning your medical