

Absolute Dermatology & Skin Cancer Center

5207 Hickory Park Drive, Suite A, Glen Allen, VA 23059 7300 Ashlake Parkway, Suite #102, Chesterfield, VA 23832 T: (804) 326-4448 F: (309) 326-4947 www.absolutedermya.com

Wound Care: Tegaderm

If your surgical site begins to bleed or ooze, please hold pressure for 20 minutes WITHOUT lifting to check the site. If it continues to bleed, continue to hold pressure and call us at: 804-326-4448. If it is after 5:00 pm, press the urgent button and your call will go directly to Dr. Gillen.

Take Tylenol for pain. **NOT Ibuprofen, Advil, Aleve or other NSAIDs.

Your surgical site is covered with a clear, waterproof dressing called Tegaderm. This dressing will maintain the moisture of the surgical site and prevent bacteria from getting into it.

After 48 hours:

- You may remove the pressure dressing, but leave the tegaderm in place.
 - The clear film is waterproof, so you may get the area wet now.
- If there are sutures, the tegaderm should remain in place for 2 weeks.
 - o Typically 10 14 days.
- If you bleed through tegaderm remove, dry and replace with a new piece of tegaderm.
- If the tegaderm seal is broken remove, dry and replace with a new piece of tegaderm.