

1375 E. 19th Avenue Denver, Colorado 80218

Name:	
Birthdate:	
Physician:	
Allergies:	
DO NOT FAT OR DRINK ANYTHING HOURS BRIOD TO YOU	
DO NOT EAT OR DRINK ANYTHING HOURS PRIOR TO YOU SURGERY.	JK
IF YOU DO EAT OR DRINK, IT WILL BE NECESSARY TO CANCEL YOUR SURGERY.	

HOSPITAL ADMISSION SURGERY PACKET

Pre-Operative Diagnosis:		
	_	
Pre-Scheduled Surgery for:		
	_	
(Procedure)		
On the day of your surgery report to:		
A.M. ADMISSIONS:		



Surgery Scheduler

_

1830 Franklin Street, Suite 450 • Denver, CO 80218
Phone: 303-321-1333 • Toll-Free: 888-900-1333 • Fax: 303-321-0620

www.Western-Ortho.com

Map to New Hospital Parking Garage CAMPUS MAP Ronald McDonald Kaiser National Jewish Health - Saint Joseph Hospital House **Permanente** Kaiser Skyline Kaiser Kaiser **Parking Garage** 20th Ave. Franklin Visitor Parking 20th Ave. **Outpatient Pick-up / Drop-off** B Visitor and Physician Visitor Parking Medical **Parking** Mullen Visitor Offices **Saint Joseph Building Parking** Hospital Patient/ 19th Ave. Visitor ER 19th Ave. Tammen Russell **Main Entrance** Hall **Visitor Parking Pavilion** Downing St. — — — Former Saint Joseph Hospital Lafayette St. Franklin St. Medical **Specialty Center Comprehensive Cancer Center NORTH** 18th Ave. One Way

= Medical Building

National Jewish Health - Saint Joseph Hospital 1375 East 19th Avenue Denver, CO 80218 303-812-2000

= Parking Entry

= Parking Garage or Lot

= Building Entry

MAP KEY

Enter the new hospital parking garage from 19th and Downing Streets.



Excellence in Motion

1830 Franklin Street, Suite 450 Denver, CO 80218 Phone: 303-321-1333 Toll-Free: 888-900-1333 Fax: 303-321-0620

James C. Holmes, M.D.

Orthopaedic Specialist Sports Medicine Disorders of the Knee

Timothy J. Birney, M.D.

Orthopaedic Specialist Disorders of the Spine

Edward (Ted) H. Parks, M.D.

Orthopaedic Specialist Sports Medicine Joint Replacement/Reconstruction Arthroscopy

Armodios M. Hatzidakis, M.D.

Orthopaedic Specialist Shoulder and Elbow

Raj Bazaz, M.D.

Orthopaedic Specialist Shoulder and Knee Sports Medicine

Kevin K. Nagamani, M.D.

Orthopaedic Specialist Foot and Ankle Surgery

Brian J. White, M.D.

Orthopaedic Specialist in Disorders of the Hip

Steven M. Traina, M.D.

Orthopaedic Specialist in Disorders of the Knee Shoulder and Sports Medicine

Thomas G. Mordick, II, M.D.

Hand Surgery

Benjamin W. Sears, M.D.

Orthopaedic Specialist Disorders of the Shoulder and Elbow

Sean Baran, M.D.

Orthopaedic Specialist Disorders of the Hip and Knee Sports Medicine Joint Replacement

www.Western-Ortho.com

Please Note:

Your surgery time is subject to change. Please make yourself available all day.

Thank you!

NO FOOD OR LIQUIDS

(Includes no water, candy gum, breath mints.....NOTHING)

AFTER MIDNIGHT!


If you have ANYTHING by mouth after 11:59 p.m., we will have to

CANCEL YOUR SURGERY!!

Morning of surgery**IMPORTANT**Morning of surgery

Please brush teeth with toothpaste, rinse and spit. NO GARGLING

TAKE ONLY the following medications with ONE SIP of water:



Celebrex

ASPIRIN/BLOOD THINNER PROTOCOL

FOR PATIENTS NORMALLY TAKING COUMADIN, WHO
HAVE NOW BEEN ASKED TO SUBSTITUTE WITH LOVENOX IT IS REQUESTED
THAT YOU DISCONTINUE THE LOVENOX A MINIMUM OF 24 HOURS PRIOR TO
SURGERY, OR THERE IS A POSSIBILITY YOUR SURGERY WILL BE CANCELLED.

DO NOT TAKE ASPIRIN OR ASPIRIN RELATED PRODUCTS FOR TWO (2) WEEKS PRIOR TO YOUR SURGERY - BELOW IS A LIST FOR YOUR CONVENIENCE.

The taking of aspirin and/or aspirin related medications can prove harmful to your body's perioperative healing process. Aspirin chemically inhibits the ability of the body to form stable clots necessary to permit proper healing.

If you are currently taking any medication and are unsure as to whether it contains aspirin or has a similar effect as aspirin (preventing the formation of stable blood clots), please do not hesitate to contact your pharmacist for additional information.

4-Way Cold Tabs Actron Advil Caps and Tabs Alka Seltzer Plus Night-Time Cold Medicine Alka Seltzer Plus Cold Medicine Alka Seltzer Extra Strength Alka Seltzer (Flavored) Alka Seltzer Antacid/Pain Reliever Anacin Analgesic Caps & Tabs Anacin Maximum Strength Tabs Anacin Arthritis Pain Formula Anaprox Ansaid Ascriptin w/Codeine Tabs Axotal B-A-C #3 Tabs Bayer Aspirin Tabs & Caps Bayer Maximum Aspirin Tabs & Caps Bayer 8 Hour Time Release Aspirin Bufferin Analgesic Tabs Bufferin Arthritis Strength Tabs Carisoprodol Compound Tabs Cataflam

Children's Chewable Aspirin Nabumetone

Clinoril Nalfon
Damason-P Naprelan
Darvon with ASA Naproxen

Darvon-N with ASA Naproxen Sodium

Daypro Naproxyn

Dia-Gesic Improved Norgesic Forte Tabs

Diclofenac Sodium Potassium Norgesic Tabs

Disalcid N-saids
Dolobid Nuprin Tabs

Dolobid #3 Tabs Orphengisc w/Caff & Aspirin

Easprin Orudis
Ecotrin Oruvail
Ecotrin Max Strength Tabs Oxaprozin

Empirin with Codeine Oxycodone w/Aspirin tabs
Equagesic Tabs Percodan Tabs & Demi Tabs

Etodolac Persistins
Excederin Piroxicam

Feldene Regular strength tabs

FenoproFen Relafen

Fiogesic Tabs

Fiorinal Tabs & Caps

Fiorinal with Codeine Caps

Geiprin Tabs

Robaxisal Tabs

Roxiprin Tabs

Rulen Tabs

Salflex

Ibuprofen Tabs Salicylate's

Indocin Soma Compound Tabs

Indomethacin Soma Compound Tabs w/Codeine

Ketoprofen Sulindac Lodine Supac

Lortab ASA Tabs Synalgos DC Tabs

Medipren Tabs & Caps Talwin

Meloxicam Talwin Compound

Midol 200 Tolectin

Mobic Tolectin DS or 600

Motrin Tolmetin Motrin 200 Trilisate

Motrin Tabs Vanquish Analgesic Caps

You may take Tylenol, Anacin 3 or Datril as they do not contain aspirin.

Attention Men: Please discontinue any erectile dysfunction medications 1 week prior to surgery.



Excellence in Motion

1830 Franklin Street, Suite 450 Denver, CO 80218 Phone: 303-321-1333 Toll-Free: 888-900-1333 Fax: 303-321-0620

James C. Holmes, M.D.

Orthopaedic Specialist Sports Medicine Disorders of the Knee

Timothy J. Birney, M.D.

Orthopaedic Specialist Disorders of the Spine

Edward (Ted) H. Parks, M.D.

Orthopaedic Specialist
Sports Medicine
Joint Replacement/Reconstruction
Arthroscopy

Armodios M. Hatzidakis, M.D.

Orthopaedic Specialist Shoulder and Elbow

Raj Bazaz, M.D.

Orthopaedic Specialist Shoulder and Knee Sports Medicine

Kevin K. Nagamani, M.D.

Orthopaedic Specialist Foot and Ankle Surgery

Brian J. White, M.D.

Orthopaedic Specialist in Disorders of the Hip

Steven M. Traina, M.D.

Orthopaedic Specialist in Disorders of the Knee Shoulder and Sports Medicine

Thomas G. Mordick, II, M.D.

Hand Surgery

Benjamin W. Sears, M.D.

Orthopaedic Specialist
Disorders of the Shoulder
and Elbow

Sean Baran, M.D.

Orthopaedic Specialist Disorders of the Hip and Knee Sports Medicine Joint Replacement

www.Western-Ortho.com

Herbal Supplement Instructions

IF YOU ARE TAKING ANY OF THESE HERBAL SUPPLEMENTS (LISTED BELOW), WE ASK THAT YOU **STOP TAKING THEM 2 WEEKS PRIOR TO YOUR SURGERY.**

- ECHINACEA
- EPHEDRA
- GARLIC

THIS DOES NOT MEAN GARLIC IN YOUR FOOD.

- GINKGO
- GINSENG
- KAVA
- ST. JOHN'S WART
- TURMERIC
- VALERIAN
- FLAX SEED OIL, VITAMIN E AND FISH OIL
- ANY TYPE OF DIET PILLS (METABOLIFE, HERBALIFE, ETC)

IT WAS RECENTLY REPORTED THAT THESE HERBAL SUPPLEMENTS MIGHT CAUSE HARM DURING AND/OR AFTER SURGERY.

THANK YOU FOR YOUR COOPERATION AND ALLOWING US TO KEEP PROVIDING YOU WITH THE BEST CARE.

Doctors have never quite figured out what to say about herbal supplements. While alternative medications have become increasingly popular--Americans will spend some \$5 billion this year on natural remedies for everything from arthritis to the common cold--most physicians assumed that even if they didn't know exactly what these remedies did, they were, at worst, harmless. But more and more, doctors are starting to recognize that many natural supplements have medicinal qualities that can complement--or conflict with-the treatments and medications they prescribe.

The American Society of Anesthesiologists is the latest physicians' group to sound a warning about the potential side effects of alternative medications. Concerned by evidence that some supplements can interfere with anesthesia, the group has issued a recommendation that patients stop taking all natural remedies at least two weeks before surgery--giving the body plenty of time to clear them from the system.

The anesthesiologists' warning is based on the latest of several findings that are raising doctors' awareness of the risks associated with natural supplements. Take, for instance, ginkgo biloba, used by almost 11 million Americans to improve memory and increase blood circulation. Doctors now believe ginkgo may reduce the number of platelets in the blood and can prevent blood from clotting properly. Taking ginkgo at the same time one is taking blood-thinning medications, like Coumadin or even aspirin, could make a patient dangerously vulnerable to bleeding.

Similarly, St. John's wort, a popular supplement taken to treat anxiety, depression and sleep disorders, is believed to prolong or increase the effects of some narcotic drugs and anesthetic agents. Ginseng, an herb taken to boost vitality, has been associated with high blood pressure and rapid beating of the heart-conditions that could be deadly in the operating room.

Part of the problem is that herbal supplements and mainstream medicine come from two very different worlds and operate in different regulatory environments. The marketing of prescription and over-the-counter drugs is strictly regulated by the Food and Drug Administration, which requires scientific proof of safety and efficacy. Herbal remedies, by contrast, are largely exempt from FDA supervision. Companies can sell herbal preparations without guaranteeing that what's on the label is inside the bottle.

These uncertainties don't mean that you should never take a supplement. But they make it even more important that you discuss whatever you are taking with your physician--something not enough patients do. A recent study showed that although 60 million Americans have taken alternative medicines, only a third of them reported it to their doctors.

This is a bad idea. A drug your doctor prescribes could be perfectly safe and effective, but if you are taking a similar-acting supplement, there is a real danger of cross-reaction. Don't be afraid to bring your herbal supplements to your doctor's office. Your physician may spot a potential conflict on the label or know of another drug--or even another supplement--that works just as well.

Dr. Ian appears on WNBC-TV in New York City. E-mail him at ianmedical@aol.com For more on herbals, try altmed.od.NIH.gov

• Find this article at:

• http://www.time.com/time/magazine/article/0,9171,998150,00.html



Excellence in Motion

1830 Franklin Street, Suite 450 Denver, CO 80218 Phone: 303-321-1333 Toll-Free: 888-900-1333 Fax: 303-321-0620

James C. Holmes, M.D.

Orthopaedic Specialist Sports Medicine Disorders of the Knee

Timothy J. Birney, M.D.

Orthopaedic Specialist Disorders of the Spine

Edward (Ted) H. Parks, M.D.

Orthopaedic Specialist
Sports Medicine
Joint Replacement/Reconstruction
Arthroscopy

Armodios M. Hatzidakis, M.D.

Orthopaedic Specialist Shoulder and Elbow

Raj Bazaz, M.D.

Orthopaedic Specialist Shoulder and Knee Sports Medicine

Kevin K. Nagamani, M.D.

Orthopaedic Specialist Foot and Ankle Surgery

Brian J. White, M.D.

Orthopaedic Specialist in Disorders of the Hip

Steven M. Traina, M.D.

Orthopaedic Specialist in Disorders of the Knee Shoulder and Sports Medicine

Thomas G. Mordick, II, M.D.

Hand Surgery

Benjamin W. Sears. M.D.

Orthopaedic Specialist
Disorders of the Shoulder
and Elbow

Sean Baran, M.D.

Orthopaedic Specialist Disorders of the Hip and Knee Sports Medicine Joint Replacement

www.Western-Ortho.com

SURGICAL ASSISTANT NOTIFICATION FORM

Please be informed that a surgical assistant "S.A." or a Physician Assistant "P.A." may be required for the proper performance of the operation you need. Surgical assistants and Physician Assistants are professional members of the health care team, and are qualified by academic and clinical education to provide assistance to your surgeon during surgery.

If your doctor feels that an assistant is necessary for your procedure, he will use one (some procedures require two assistants), even if your insurance company does not recognize this as a medical necessity. The insurance company will be billed first by the surgical assistant. If your insurance company denies the assistant surgeon, (per our agreement with these assistants) the maximum you are required to pay (per assistant) is \$200 for the first hour and \$25 for each additional 15 minutes.

If your insurance company pays for the surgical assistant-the above agreement does not apply.

Note: Most insurance companies consider assistant surgeons as "out of network providers" or will not even contract with an assistant surgeon.

Once you receive a bill from the outside surgical assist company please direct any questions to their billing department. Again - the assistant surgeon company is aware of the above agreement and will correct your bill accordingly. Please do not contact our billing department regarding an outside surgical assistant. Below is a list of assistants we use:

Surgical Assist Name	Billing Phone#	
Roman Bachayev	303-940-1613	
Alan Duffy	720-748-2888	
Andrew Waggoner	303-317-4194	
Bob Fox	720-748-2888	
Bryan Carter	321-725-0131	
Chief Griffin	281-346-3480	
Eric Griffith	720-382-0585	
Gerald Crenshaw	303-317-4194	
Debra Rittinger	720-748-2888	
Rob Sherwood	573-474-9302	
Mark Mauries	303-317-4194	
Joe Harris	720-283-0960	
Tony Fabre	281-346-3480	
Rodney Gravenor	619-573-0375	
Scott Comeaux	281-346-3480	
Diane Gusti	281-346-3480	

Surgical Assist Name	Billing Phone #
Jose Villasenor	303-940-1613
Karen Drozda	303-388-0891
Ken Gallegos	720-283-0960
Antranik Kosyan	303-317-4194
Chris Shama	720-283-0960
Vong Zhou "Peter"	303-317-4194
Mikhail Malamud	303-940-1613
Paul Beal	303-317-4194
Mark Hinton	720-748-2888
Chris Irons	720-732-0739

[have read the precedii	g information and	acknowledge	being notified.
--------------------------	-------------------	-------------	-----------------

Patient signature:	
Printed name:	
T 1-1-	
Today's date:	

Rev 04-14-2020

US Anesthesia Partners of Colorado Preparation for Surgery

The Day Before Surgery

• Your anesthesia provider may try to call you the night before your surgery. They may call from a number you do not recognize, so please try to answer the phone number you listed as your primary contact number.

Types of Anesthesia

- You will have time to speak with your anesthesia provider at the surgical facility on your day of surgery. We encourage you to provide input into our plan for your care. If you have a specific question and would like to speak with an anesthesia provider prior to the day of surgery, please do not hesitate to call our office and we will connect you with someone.
- After carefully considering the type of surgery, your overall health, medical history, lab results and your concerns and preferences, your anesthesia provider will talk to you about the type of anesthesia that is both the safest and best suited for you. Because the goal of anesthesia is to keep you safe and comfortable, sometimes there may not be an option for the anesthesia type you receive.
- These are the main types of anesthesia (for more information you can visit www.asahq.org):
 - **General anesthesia** provides a total loss of consciousness, meaning you will be fully asleep. You will not be aware of any pain or feeling during your surgery. This type of anesthesia uses a combination of IV medicine (given through a tube in your vein) and gases (that you breathe through a mask or breathing tube).
 - Regional anesthesia blocks pain to a specific area of your body. Your anesthesia provider will inject medication near a nerve and you may also get other medications through an IV to help you relax. A peripheral nerve block blocks a nerve or group of nerves and is common for surgeries on hands, feet, arms, legs or the face. Epidural or spinal anesthesia is given through an injection to block pain for a large area of the body such as the abdomen, hips or legs.
 - MAC (Monitored Anesthesia Care or Conscious Sedation) uses IV medication to help you relax and decrease pain. You will not be completely asleep, but you may sleep and will be very groggy.
- Your anesthesia provider will not leave your side during surgery. They will be right next to you to monitor you and your vital signs and make sure you remain safe and comfortable.

What to Expect Before Surgery

- You will be asked to change into a hospital gown. No personal clothing or personal items will be allowed into the OR.
- The pre-operative nurse will review your history, medications and allergies and take your vital signs. An IV (a tube in your vein for medications and fluids) will be placed. If applicable, blood lab work or other tests may be conducted. Women of childbearing age may be screened for pregnancy.
- A support person may accompany you into the pre-operative area until it is time for surgery, at which time they will be directed to the waiting room.

Additional Questions

- It is very important to us that you have a good experience with your anesthesia. After your surgery, you may receive a text or email asking you to complete a short survey. We value your feedback and use the data that we receive to make sure we continue to provide great care of our patients.
- Billing: Please note that anesthesia services are billed separately from the rest of your surgery. We do participate with most major insurance plans. Depending on your insurance you may have some out-of-pocket expenses. You can call our Billing Department at 303-377-7638 if you have questions or would like to make pre-payment arrangements.

Thank you for allowing us to be a part of you care.

US Anesthesia Partners of Colorado
https://www.usap.com/locations/usap-colorado/about-us
303-785-4700

